



# SAFETY DATA SHEET

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1. Product identifier

**Product Name:** SINCLAIR PSF 12/16OZ  
**Product Code:** SI31PS16 (Sinclair Code: 581-006)

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

**Recommended use:** Power Steering Fluid  
**Recommended restrictions:** Not applicable

### 1.3. Details of the supplier of the safety data sheet

**Manufacturer:** Warren Distribution, Inc.  
727 S. 13th Street  
Omaha, NE 68102  
**Information Phone:** +01 (800) 825-1235 +01 (402) 341-9397  
**E-mail:** sds@wd-wpp.com

### 1.4. Emergency telephone number

**Emergency phone number:** CHEMTREC: +1 (800) 424-9300  
International: +01 (703) 527-3887

## SECTION 2: Hazards identification

### 2.1. Classification of the substance or mixture

Hazardous to the aquatic environment - Acute Category 3  
Hazardous to the aquatic environment - Chronic Category 3

### 2.2. Label elements

**Hazard Statements** H402 - Harmful to aquatic life.  
H412 - Harmful to aquatic life with long lasting effects.  
**Precautionary Statements**  
**Prevention** P273 - Avoid release to the environment.  
**Disposal** P501- Dispose of contents/container in accordance with local/regional/national/international regulations.

### 2.3. Other hazards

**Hazards not otherwise classified:** Avoid prolonged or repeated skin contact with used fluid.

**Unknown acute toxicity (GHS-US)**

## SECTION 3: Composition/information on ingredients

Chemical Name	%	CAS #	GHS Classification
Petroleum distillates, hydrotreated light paraffinic	1 - 5	64742-55-8	Acute Tox. 4; H332 Acute Tox. 4; H332 Acute Tox. 3; H331

Components not listed are not physical or health hazards as defined in 29 CFR 1910.1200 (Hazard Communication Standard).

## SECTION 4: First aid measures

### 4.1. Description of first aid measures

**Inhalation** Remove to fresh air. If breathing is difficult, have a trained individual administer oxygen.  
**Eyes** None expected to be needed, however, use an eye wash to remove a chemical from your eye

# SAFETY DATA SHEET

## SECTION 4: First aid measures

<b>Skin Contact</b>	regardless of the level of hazard. Wash with soap and water. Get medical attention if irritation develops or persists. Seek medical advice if symptoms persist.
<b>Ingestion</b>	Minimal risk of harm if swallowed. Do not induce vomiting. Seek medical attention immediately. Provide medical care provider with this SDS.
<b>4.2. Most important symptoms and effects, both acute and delayed</b>	
<b>Symptoms</b>	Not determined
<b>4.3. Indication of any immediate medical attention and special treatment needed</b>	
<b>Note to Doctor</b>	Aspiration during swallowing or vomiting may severely damage the lungs. If evacuation of stomach contents is necessary, use method least likely to cause aspiration.

## SECTION 5: Firefighting measures

<b>5.1. Extinguishing media</b>	
<b>Suitable and Unsuitable Extinguishing Media:</b>	Use alcohol resistant foam, carbon dioxide, or dry chemical when fighting fires. Water or foam may cause frothing if liquid is burning but it still may be a useful extinguishing agent if carefully applied to the surface of the fire. Do not direct a stream of water into the hot burning liquid.
<b>5.2. Special hazards arising from the substance or mixture</b>	
<b>Fire and/or Explosion Hazards</b>	Material may be ignited only if preheated to temperatures above the high flash point, for example in a fire.
<b>5.3. Advice for firefighters</b>	
<b>Fire Fighting Methods and Protection</b>	Do not enter fire area without proper protection including self-contained breathing apparatus and full protective equipment. Use methods for the surrounding fire.
<b>Hazardous Combustion Products</b>	Carbon monoxide, Smoke

## SECTION 6: Accidental release measures

<b>6.1. Personal precautions, protective equipment and emergency procedures</b>	
<b>General Measures:</b>	No data available.
<b>6.2. Environmental precautions</b>	
	Do not flush to sewer. Avoid runoff into storm sewers and ditches that lead to waterways. Remove from water surface by skimming or with suitable absorbents. Do not use dispersants.
<b>6.3. Methods and material for containment and cleaning up</b>	
<b>Methods for cleaning up:</b>	Prevent the spread of any spill to minimize harm to human health and the environment if safe to do so. Wear complete and proper personal protective equipment following the recommendation of Section 8 at a minimum. Dike with suitable absorbent material like granulated clay. Dispose of according to Federal, State, Local, or Provincial regulations. Used fluid should be disposed of at a recycling center.
<b>6.4. Reference to other sections</b>	
	Follow all protective equipment recommendations provided in Section 8.

## SECTION 7: Handling and storage

<b>7.1. Precautions for safe handling</b>	
	No special handling instructions due to toxicity.
<b>7.2. Conditions for safe storage, including any incompatibilities</b>	
	Store in a cool dry place. Isolate from incompatible materials.
<b>Incompatible materials</b>	
	See Section 10.
<b>7.3. Specific end use(s)</b>	
	Power Steering Fluid

## SECTION 8: Exposure controls/personal protection

<b>8.1. Control parameters</b>		
<b>Chemical Name</b>	<b>Occupational Exposure Limits</b>	<b>Value</b>
Oil mist, mineral	OSHA PEL	5 mg/m3

# SAFETY DATA SHEET

## SECTION 8: Exposure controls/personal protection

### 8.1. Control parameters

Chemical Name	Occupational Exposure Limits	Value
Oil mist, mineral	OSHA PEL	5 mg/m3
Oil mist, mineral	ACGIH TLV-TWA	5 mg/m3
Oil mist, mineral	ACGIH TLV-TWA	5 mg/m3
Oil mist, mineral	ACGIH STEL	10 mg/m3
Oil mist, mineral	ACGIH STEL	10 mg/m3
None.	IDLH	
None.	OSHA PEL-Skin Notation	

### 8.2. Exposure controls

#### Engineering Measures

Use local exhaust ventilation or other engineering controls to minimize exposures and maintain operator comfort.

#### Respiratory Protection

Respiratory protection may be required to avoid overexposure when handling this product. General or local exhaust ventilation is the preferred means of protection. Use a respirator if general room ventilation is not available or sufficient to eliminate symptoms.

#### Respirator Type(s)

None required where adequate ventilation is provided. If airborne concentrations are above the applicable exposure limits, use NIOSH/MSHA approved respiratory protection.

#### Eye Protection

No special requirements under normal industrial use.

#### Skin Protection

Where use can result in skin contact, practice good personal hygiene and wear impervious gloves. Wash hands and other exposed areas with mild soap and water before eating, drinking, and when leaving work.

#### Gloves

Neoprene, Nitrile

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

Physical State	Liquid
Color	Amber
Odor	Mild
Odor threshold	Not determined
pH	Not determined
Freezing point	-20
Boiling Point	Not determined
Flash Point (°C)	193
Flash Point Method	COC
Evaporation Rate	Not determined
Upper Flammable/Explosive Limit, % in air	= 10
Lower Flammable/Explosive Limit, % in air	= 1
Flammability (solid, gas)	Not applicable
Vapor pressure	<0.20
Vapor Density	Not determined
Relative Density	0.86
Solubility in Water	Insoluble
Octanol/Water Partition Coefficient	Not determined
Autoignition Temperature	Not determined
Decomposition Temperature	Not determined
Viscosity(°C)	36.64

### 9.2. Other information

Volatiles, % by weight	0.000000
------------------------	----------

## SECTION 10: Stability and reactivity

# SAFETY DATA SHEET

## SECTION 10: Stability and reactivity

<b>10.1. Reactivity</b>	No data available.
<b>10.2. Chemical stability</b>	Stable under normal conditions.
<b>10.3. Possibility of hazardous reactions</b>	Hazardous polymerization will not occur.
<b>10.4. Conditions to avoid</b>	Temperatures above the high flash point of this combustible material in combination with sparks, open flames, or other sources of ignition. Moisture (will lead to product performance degradation).
<b>10.5. Incompatible materials</b>	Strong oxidizing agents
<b>10.6. Hazardous decomposition products</b>	Carbon monoxide, Smoke

## SECTION 11: Toxicological information

### 11.1. Information on toxicological effects

<b>Ingestion Toxicity</b>	No hazard in normal industrial use. Estimated to be > 5.0 g/kg.
<b>Skin Contact</b>	This material is estimated to be slightly irritating (Primary Irritation Index is 0.5 - 3.0 [rabbits]). Can cause minor skin irritation, defatting, and dermatitis.
<b>Absorption</b>	Likely to be practically non-toxic based on animal data.
<b>Inhalation Toxicity</b>	No hazard in normal industrial use. Likely to be practically non-toxic based on animal data.
<b>Eye Contact</b>	This material is estimated to be non-irritating eyes (Draize score <15 [rabbits]). No hazard in normal industrial use.
<b>Sensitization</b>	Non-hazardous under Respiratory Sensitization category. No data available to indicate product or components may be a skin sensitizer.
<b>Mutagenicity</b>	No data available to indicate product or any components present at greater than 0.1% is mutagenic or genotoxic.
<b>Carcinogenicity</b>	Not expected to cause cancer. This product meets the IP-346 criteria of <3% PAH's and is not considered a carcinogen by the International Agency for Research on Cancer.
<b>Reproductive and Developmental Toxicity</b>	No data available to indicate product or any components present at greater than 0.1% may cause birth defects.
<b>Specific target organ toxicity-Single exposure</b>	Non-hazardous under Specific Target Organ Systemic Toxicity Single Exposure category.
<b>Specific target organ toxicity-Repeated exposure</b>	Non-hazardous under Specific Target Organ Systemic Toxicity Repeated Exposure category.
<b>Aspiration toxicity</b>	Non-hazardous under Aspiration category.
<b>Other information</b>	No data available.

### Agents Classified by IARC Monographs

Arsenic	IARC Group 1
Benzene	IARC Group 1
Cadmium	IARC Group 1
Lead	IARC Group 2A
Lead	IARC Group 2B

### National Toxicity Program (NTP) Status

Arsenic	Known Human Carcinogen
Benzene	Known Human Carcinogen
Cadmium	Known Human Carcinogen
Lead	Reasonably Anticipated To Be A Human Carcinogen

## SECTION 12: Ecological information

### 12.1. Toxicity

<b>Acute Aquatic ecotoxicity:</b>	Non-hazardous under Aquatic Acute Environment category.
<b>Chronic Aquatic ecotoxicity:</b>	H412 - Harmful to aquatic life with long lasting effects.

### 12.2. Persistence and degradability

Biodegrades slowly.

### 12.3. Bioaccumulative potential

# SAFETY DATA SHEET

## SECTION 12: Ecological information

Bioconcentration is not expected to occur. Bioconcentration may occur.

### 12.4. Mobility in soil

This material is expected to have essentially no mobility in soil. It absorbs strongly to most soil types.

### 12.5. Results of PBT and vPvB assessment

No data available.

### 12.6. Other adverse effects

Not determined

## SECTION 13: Disposal considerations

### 13.1. Waste treatment methods

#### Disposal Methods

Dispose of by incineration following Federal, State, Local, or Provincial regulations.

#### Waste Disposal Code(s)

#### Waste Description for Spent Product

Spent or discarded material is not expected to be a hazardous waste.

#### Contaminated packaging:

Recycle containers whenever possible.

Recycle containers whenever possible.

Recycle containers whenever possible.

## SECTION 14: Transport information

**DOT Basic Description** Not classified as hazardous for transport (DOT, TDG, IMO/IMDG, IATA/ICAO).

### Description

## SECTION 15: Regulatory information

### Chemical Inventories

#### TSCA Status

All components of this material are on the US TSCA Inventory or are exempt.

#### U.S. State Restrictions:

Not applicable

#### WHMIS:

Uncontrolled product according to WHMIS classification criteria.

Chemical Name	Regulation	CAS #	%
None.	CERCLA		
Toluene	SARA 313	108-88-3	0.01 - 0.1
Arsenic	SARA 313	7440-38-2	<10ppm
Lead	SARA 313	7439-92-1	<10ppm
Benzene	SARA 313	71-43-2	<10ppm
Cadmium	SARA 313	7440-43-9	<10ppm
None.	SARA EHS		
None.	TSCA 12b		

### U.S. State Regulations

Chemical Name	Regulation	CAS #	%
None.	California Prop 65- Cancer		
Toluene	California Prop 65- Dev. Toxicity	108-88-3	0.01 - 0.1
None.	California Prop 65- Reprod -fem		
None.	California Prop 65- Reprod-male		
Mineral oil, petroleum distillates, hydrotreated light paraffinic	Massachusetts RTK List	64742-55-8	1 - 5
None.	New Jersey RTK List		
None.	Pennsylvania RTK List		

# SAFETY DATA SHEET

Chemical Name	Regulation	CAS #	%
None.	Rhode Island RTK List		
None.	Minnesota Hazardous Substance List		

<u>HMIS Ratings:</u>		<u>NFPA Ratings:</u>	
Health:	0	Health:	0
Fire:	1	Fire:	1
Reactivity:	0	Reactivity:	0
PPE:	B		

KEY:      0 - Least      1 - Slight      2 - Moderate      3 - High      4 - Extreme

## SECTION 16: Other information

**Revision Date**      10/29/2015 9:41:26 AM  
**Supersedes:**      4/21/2015 3:52:29 PM  
**References**      ACGIH: American Conference of Governmental Industrial Hygienists  
                          AIHA: American Industrial Hygiene Association  
                          CFR: Code of Federal Regulations  
                          DOT: United States Department of Transportation  
                          GHS: Globally Harmonized System of Classification and Labeling of Chemicals  
                          HMIS: Hazardous Materials Identification System  
                          IARC: International Agency for Research on Cancer  
                          IATA: International Air Transportation Association  
                          IDLH: Immediately Dangerous to Life or Health  
                          IMDG: International Maritime Dangerous Goods  
                          NFPA: National Fire Protection Association  
                          NIOSH: National Institute for Occupational Safety and Health  
                          NTP: National Toxicology Program  
                          OSHA: Occupational Safety and Health Administration  
                          PEL: Permissible Exposure Limit  
                          RTK: Right-to-Know  
                          SARA: Superfund Amendments and Reauthorization Act  
                          STEL: Short-term Exposure Limit  
                          TLV: Threshold limit value  
                          TSCA: Toxic Substances Control Act  
                          TWA: Time weighted average  
                          UN: United Nations

### Disclaimer

WHMIS: Workplace Hazardous Materials Information System  
THIS PRODUCT MATERIAL SAFETY DATA SHEET PROVIDES HEALTH AND SAFETY INFORMATION. THE PRODUCT SHOULD BE USED IN APPLICATIONS CONSISTENT WITH THIS PRODUCT LITERATURE. FOR ANY OTHER USES, EXPOSURES SHOULD BE EVALUATED SO THAT APPROPRIATE HANDLING PRACTICES AND TRAINING PROGRAMS CAN BE ESTABLISHED TO ENSURE SAFE WORKPLACE OPERATIONS.

THIS MATERIAL SAFETY DATA SHEET IS PROVIDED IN GOOD FAITH AND MEETS THE REQUIREMENTS OF THE HAZARDOUS COMMUNICATION PROVISIONS OF SARA TITLE III AND 29 CFR 1910.1200(g) OF THE OSHA REGULATIONS. THE ABOVE INFORMATION IS BASED ON REVIEW OF AVAILABLE INFORMATION SINCLAIR BELIEVES IS RELIABLE AND IS SUPPLIED FOR INFORMATIONAL PURPOSES ONLY. SINCLAIR DOES NOT GUARANTEE ITS COMPLETENESS OR ACCURACY.

SINCE CONDITIONS OF USE ARE OUTSIDE THE CONTROL OF SINCLAIR, SINCLAIR DISCLAIMS ALL WARRANTIES, EXPRESS OR IMPLIED, AND ANY LIABILITY FOR DAMAGE OR INJURY WHICH RESULTS FROM THE USE OF THE ABOVE DATA. NOTHING HEREIN IS INTENDED TO PERMIT INFRINGEMENT OF VALID PATENTS AND LICENSES.

# **SAFETY DATA SHEET**