

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product Name: SINCLAIR PSF 12/16OZ

**Product Code:** SI31PS16 (Sinclair Code: 581-021)

1.2. Relevant identified uses of the substance or mixture and uses advised against

**Recommended use:** Power Steering Fluid Recommended Not applicable

restrictions:

1.3. Details of the supplier of the safety data sheet

Manufacturer: Warren Distribution, Inc.

727 S. 13th Street Omaha, NE 68102

**Information Phone:** +01 (800) 825-1235 +01 (402) 341-9397

E-mail: sds@wd-wpp.com

1.4. Emergency telephone number

**Emergency phone number:** CHEMTREC: +1 (800) 424-9300

International: +01 (703) 527-3887

## **SECTION 2: Hazards identification**

#### 2.1. Classification of the substance or mixture

Hazardous to the aquatic environment - Acute Category 3 Hazardous to the aquatic environment - Chronic Category 3

#### 2.2. Label elements

**Hazard Statements** H402 - Harmful to aquatic life.

H412 - Harmful to aquatic life with long lasting effects.

**Precautionary Statements** 

**Prevention** P273 - Avoid release to the environment.

**Disposal** P501- Dispose of contents/container in accordance with local/regional/national/international

regulations.

2.3. Other hazards

**Hazards not otherwise** Avoid prolonged or repeated skin contact with used fluid.

classified:

Unknown acute toxicity (GHS-US)

# **SECTION 3: Composition/information on ingredients**

Chemical Name % CAS # GHS Classification
Petroleum distillates, hydrotreated light paraffinic 1 - 5 64742-55-8 Acute Tox. 4; H332
Acute Tox. 4; H332

Acute Tox. 4; H332 Acute Tox. 3; H331

Components not listed are not physical or health hazards as defined in 29 CFR 1910.1200 (Hazard Communication Standard).

### **SECTION 4: First aid measures**

#### 4.1. Description of first aid measures

**Inhalation** Remove to fresh air. If breathing is difficult, have a trained individual administer oxygen. **Eyes** None expected to be needed, however, use an eye wash to remove a chemical from your eye

SINCLAIR PSF 12/16OZ Page 1 of 7

### **SECTION 4: First aid measures**

regardless of the level of hazard.

**Skin Contact** Wash with soap and water. Get medical attention if irritation develops or persists. Seek medical

advice if symptoms persist.

**Ingestion** Minimal risk of harm if swallowed. Do not induce vomiting. Seek medical attention immediately.

Provide medical care provider with this SDS.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms Not determined

4.3. Indication of any immediate medical attention and special treatment needed

**Note to Doctor** Aspiration during swallowing or vomiting may severely damage the lungs. If evacuation of stomach

contents is necessary, use method least likely to cause aspiration.

## **SECTION 5: Firefighting measures**

5.1. Extinguishing media

**Suitable and Unsuitable**Use alcohol resistant foam, carbon dioxide, or dry chemical when fighting fires. Water or foam may **Extinguishing Media:**Use alcohol resistant foam, carbon dioxide, or dry chemical when fighting fires. Water or foam may cause frothing if liquid is burning but it still may be a useful extinguishing agent if carefully applied

to the surface of the fire. Do not direct a stream of water into the hot burning liquid.

5.2. Special hazards arising from the substance or mixture

**Fire and/or Explosion** Material may be ignited only if preheated to temperatures above the high flash point, for example in

**Hazards** a fire.

5.3. Advice for firefighters

**Fire Fighting Methods and** Do not enter fire area without proper protection including self- contained breathing apparatus and

**Protection** full protective equipment. Use methods for the surrounding fire.

**Hazardous Combustion** Carbon monoxide. Smoke

**Products** 

### **SECTION 6: Accidental release measures**

### 6.1. Personal precautions, protective equipment and emergency procedures

General Measures: No data available.

### 6.2. Environmental precautions

Do not flush to sewer.

Avoid runoff into storm sewers and ditches that lead to waterways.

Remove from water surface by skimming or with suitable absorbents. Do not use dispersants.

## 6.3. Methods and material for containment and cleaning up

**Methods for cleaning up:** Prevent the spread of any spill to minimize harm to human health and the environment if safe to do so. Wear complete and proper personal protective equipment following the recommendation of Section 8 at a minimum. Dike with suitable absorbent material like granulated clay. Dispose of according to Federal, State, Local, or Provincial regulations. Used fluid should be disposed of at a recycling center.

### 6.4. Reference to other sections

Follow all protective equipment recommendations provided in Section 8.

#### **SECTION 7: Handling and storage**

# 7.1. Precautions for safe handling

No special handling instructions due to toxicity.

# 7.2. Conditions for safe storage, including any incompatibilities

Store in a cool dry place. Isolate from incompatible materials.

#### **Incompatible materials**

See Section 10.

#### 7.3. Specific end use(s)

Power Steering Fluid

# **SECTION 8: Exposure controls/personal protection**

8.1. Control parameters

Chemical NameOccupational Exposure LimitsValueOil mist, mineralOSHA PEL5 mg/m3

SINCLAIR PSF 12/16OZ Page 2 of 7

# **SECTION 8: Exposure controls/personal protection**

8.1. Control parameters

**Occupational Exposure Limits** Value **Chemical Name** Oil mist, mineral **OSHA PEL** 5 mg/m3 ACGIH TLV-TWA Oil mist, mineral 5 mg/m35 mg/m3 Oil mist, mineral **ACGIH TLV-TWA** Oil mist, mineral ACGIH STEL 10 mg/m3 10 mg/m3 Oil mist, mineral **ACGIH STEL** 

None. IDLH

None. OSHA PEL-Skin Notation

8.2. Exposure controls

**Engineering Measures**Use local exhaust ventilation or other engineering controls to minimize exposures and maintain

operator comfort.

**Respiratory Protection** Respiratory protection may be required to avoid overexposure when handling this product. General

or local exhaust ventilation is the preferred means of protection. Use a respirator if general room

ventilation is not available or sufficient to eliminate symptoms.

**Respirator Type(s)**None required where adequate ventilation is provided. If airborne concentrations are above the

applicable exposure limits, use NIOSH/MSHA approved respiratory protection.

**Eye Protection** No special requirements under normal industrial use.

**Skin Protection** Where use can result in skin contact, practice good personal hygiene and wear impervious gloves.

Wash hands and other exposed areas with mild soap and water before eating, drinking, and when

leaving work.

Gloves Neoprene, Nitrile

# **SECTION 9: Physical and chemical properties**

9.1. Information on basic physical and chemical properties

Physical StateLiquidColorAmberOdorMild

Odor threshold Not determined PH Not determined

Freezing point -20

**Boiling Point** Not determined

Flash Point (°C) 193 Flash Point Method COC

**Evaporation Rate** Not determined

**Upper Flammable/Explosive** = 10

Limit, % in air

**Lower Flammable/Explosive** = 1

Limit, % in air

Flammability (solid, gas) Not applicable

Vapor pressure <0.20

Vapor Density Not determined

Relative Density 0.86
Solubility in Water Insoluble
Octanol/Water Partition Not determined

Coefficient

**Autoignition Temperature** Not determined **Decomposition Temperature** Not determined

Viscosity(°C) 36.64

9.2. Other information

Volatiles, % by weight 0.000000

### **SECTION 10: Stability and reactivity**

SINCLAIR PSF 12/16OZ Page 3 of 7

**SECTION 10: Stability and reactivity** 

**10.1. Reactivity** No data available.

**10.2. Chemical stability** Stable under normal conditions.

10.3. Possibility of hazardous Hazardous polymerization will not occur.

reactions

**10.4. Conditions to avoid** Temperatures above the high flash point of this combustible material in combination with sparks,

open flames, or other sources of ignition. Moisture (will lead to product performance degradation).

10.5. Incompatible materials Strong oxidizing agents

**10.6. Hazardous** Carbon monoxide, Smoke

decomposition products

### **SECTION 11: Toxicological information**

11.1. Information on toxicological effects

**Ingestion Toxicity** No hazard in normal industrial use. Estimated to be > 5.0 g/kg.

**Skin Contact** This material is estimated to be slightly irritating (Primary Irritation Index is 0.5 - 3.0 [rabbits]).Can

cause minor skin irritation, defatting, and dermatitis.

**Absorption** Likely to be practically non-toxic based on animal data.

**Inhalation Toxicity** No hazard in normal industrial use. Likely to be practically non-toxic based on animal data.

Eye Contact This material is estimated to be non-irritating eyes (Draize score <15 [rabbits]). No hazard in normal

industrial use.

**Sensitization** Non-hazardous under Respiratory Sensitization category. No data available to indicate product or

components may be a skin sensitizer.

**Mutagenicity** No data available to indicate product or any components present at greater than 0.1% is mutagenic

or genotoxic.

Carcinogenicity Not expected to cause cancer. This product meets the IP-346 criteria of <3% PAH's and is not

considered a carcinogen by the International Agency for Research on Cancer.

**Reproductive and**No data available to indicate product or any components present at greater than 0.1% may cause

**Developmental Toxicity** birth defects.

Specific target organ Non-hazardous under Specific Target Organ Systemic Toxicity Single Exposure category.

toxicity-Single exposure

Specific target organ Non-hazardous under Specific Target Organ Systemic Toxicity Repeated Exposure category.

toxicity-Repeated exposure

**Aspiration toxicity** Non-hazardous under Aspiration category.

**Other information** No data available.

### **Agents Classified by IARC Monographs**

Arsenic IARC Group 1
Benzene IARC Group 1
Cadmium IARC Group 1
Lead IARC Group 2A
Lead IARC Group 2B

#### **National Toxicity Program (NTP) Status**

Arsenic Known Human Carcinogen
Benzene Known Human Carcinogen
Cadmium Known Human Carcinogen

Lead Reasonably Anticipated To Be A Human Carcinogen

# **SECTION 12: Ecological information**

12.1. Toxicity

**Acute Aquatic ecotoxicity:** Non-hazardous under Aquatic Acute Environment category. **Chronic Aquatic ecotoxicity:** H412 - Harmful to aquatic life with long lasting effects.

12.2. Persistence and degradability

Biodegrades slowly.

12.3. Bioaccumulative potential

# **SECTION 12: Ecological information**

Bioconcentration is not expected to occur. Bioconcentration may occur.

#### 12.4. Mobility in soil

This material is expected to have essentially no mobility in soil. It absorbs strongly to most soil types.

#### 12.5. Results of PBT and vPvB assessment

No data available.

#### 12.6. Other adverse effects

Not determined

### **SECTION 13: Disposal considerations**

### 13.1. Waste treatment methods

#### **Disposal Methods**

Dispose of by incineration following Federal, State, Local, or Provincial regulations.

### Waste Disposal Code(s)

# Waste Description for Spent Product

Spent or discarded material is not expected to be a hazardous waste.

#### Contaminated packaging:

Recycle containers whenever possible.

Recycle containers whenever possible.

Recycle containers whenever possible.

# **SECTION 14: Transport information**

**DOT Basic** Not classified as hazardous for transport (DOT, TDG, IMO/IMDG, IATA/ICAO).

**Description** 

# **SECTION 15: Regulatory information**

#### **Chemical Inventories**

**TSCA Status** All components of this material are on the US TSCA Inventory or are exempt.

**U.S. State Restrictions:** Not applicable

WHMIS: Uncontrolled product according to WHMIS classification criteria.

Chemical Name	Regulation	CAS#	%
None.	CERCLA		
Toluene	SARA 313	108-88-3	0.01 - 0.1
Arsenic	SARA 313	7440-38-2	<10ppm
Lead	SARA 313	7439-92-1	<10ppm
Benzene	SARA 313	71-43-2	<10ppm
Cadmium	SARA 313	7440-43-9	<10ppm
None.	SARA EHS		
None.	TSCA 12b		

# U.S. State Regulations

<u>U.</u>	S. State Regulations			
Ch	nemical Name	Regulation	CAS#	%
No	one.	California Prop 65-		
		Cancer		
To	luene	California Prop 65- Dev.	108-88-3	0.01 - 0.1
		Toxicity		
No	one.	California Prop 65-		
		Reprod -fem		
No	one.	California Prop 65-		
		Reprod-male		
Mi	neral oil, petroleum distillates,	Massachusetts RTK List	64742-55-8	1 - 5
hy	drotreated light paraffinic			
No	one.	New Jersey RTK List		

Pennsylvania RTK List

None.

**Chemical Name** Regulation CAS# %

Rhode Island RTK List None. None. Minnesota Hazardous

Substance List

**HMIS Ratings: NFPA Ratings:** Health: 0 0 Health: Fire: 1 Fire: 1 Reactivity: Reactivity: 0 0

В PPE:

KEY: 4 – Extreme 0 - Least 1 - Slight 2 - Moderate 3 - High

#### **SECTION 16: Other information**

**Revision Date** 10/29/2015 10:41:26 AM **Supersedes:** 4/21/2015 4:52:29 PM

References ACGIH: American Conference of Governmental Industrial Hygienists

AIHA: American Industrial Hygiene Association

CFR: Code of Federal Regulations

DOT: United States Department of Transportation

GHS: Globally Harmonized System of Classification and Labeling of Chemicals

HMIS: Hazardous Materials Identification System IARC: International Agency for Research on Cancer IATA: International Air Transportation Association IDLH: Immediately Dangerous to Life or Health IMDG: International Maritime Dangerous Goods NFPA: National Fire Protection Association

NIOSH: National Institute for Occupational Safety and Health

NTP: National Toxicology Program

OSHA: Occupational Safety and Health Administration

PEL: Permissible Exposure Limit

RTK: Right-to-Know

SARA: Superfund Amendments and Reauthorization Act

STEL: Short-term Exposure Limit TLV: Threshold limit value

TSCA: Toxic Substances Control Act TWA: Time weighted average

**UN: United Nations** 

WHMIS: Workplace Hazardous Materials Information System

Disclaimer THIS PRODUCT MATERIAL SAFETY DATA SHEET PROVIDES HEALTH AND SAFETY

INFORMATION. THE PRODUCT SHOULD BE USED IN APPLICATIONS CONSISTENT WITH

THIS PRODUCT LITERATURE. FOR ANY OTHER USES, EXPOSURES SHOULD BE EVALUATED SO THAT APPROPRIATE HANDLING PRACTICES AND TRAINING PROGRAMS CAN BE ESTABLISHED TO ENSURE SAFE WORKPLACE OPERATIONS.

THIS MATERIAL SAFETY DATA SHEET IS PROVIDED IN GOOD FAITH AND MEETS THE REQUIREMENTS OF THE HAZARDOUS COMMUNICATION PROVISIONS OF SARA TITLE III AND 29 CFR 1910.1200(g) OF THE OSHA REGULATIONS. THE ABOVE INFORMATION IS BASED ON REVIEW OF AVAILABLE INFORMATION SINCLAIR BELIEVES IS RELIABLE AND IS SUPPLIED FOR INFORMATIONAL PURPOSES ONLY. SINCLAIR DOES NOT

GUARANTEE ITS COMPLETENESS OR ACCURACY.

SINCE CONDITIONS OF USE ARE OUTSIDE THE CONTROL OF SINCLAIR, SINCLAIR DISCLAIMS ALL WARRANTIES, EXPRESS OR IMPLIED, AND ANY LIABILITY FOR DAMAGE OR INJURY WHICH RESULTS FROM THE USE OF THE ABOVE DATA. NOTHING HEREIN IS INTENDED TO PERMIT INFRINGEMENT OF VALID PATENTS AND LICENSES.

SINCLAIR PSF 12/16OZ Page 7 of 7