

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier	
Product Name:	SL AW Hyd ISO32 5gl
Product Code:	SI42325G (Sinclair Code: 540-008)

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended use:Hydraulic OilRecommendedNot applicablerestrictions:Not applicable

### **1.3.** Details of the supplier of the safety data sheet

Manufacturer:	Warren Distribution, In	IC.
	727 S. 13th Street	
	Omaha, NE 68102	
Information Phone:	+01 (800) 825-1235	+01 (402) 341-9397
E-mail:	sds@wd-wpp.com	

# 1.4. Emergency telephone numberEmergency phone number:CHEMTREC: +1 (800) 424-9300International: +01 (703) 527-3887

### **SECTION 2: Hazards identification**

**2.1. Classification of the substance or mixture** Not classified under GHS

2.2. Label elements

### 2.3. Other hazards

Hazards not otherwise Avoid prolonged or repeated skin contact with used fluid. classified:

### Unknown acute toxicity (GHS-US)

SECTION 3: Composition/information on ingredients			
Chemical Name	%	CAS #	GHS Classification
Lubricating oils, petroleum, hydrotreated spent	30 - 60	64742-58-1	Aquatic Chronic 4; H413
Components not listed are not physical or health hazards a	as defined in 29 CFR	1910.1200 (Ha	zard Communication Standard).

#### **SECTION 4: First aid measures** 4.1. Description of first aid measures Inhalation Remove to fresh air. If breathing is difficult, have a trained individual administer oxygen. Eyes None expected to be needed, however, use an eye wash to remove a chemical from your eye regardless of the level of hazard. Wash with soap and water. Seek medical advice if symptoms persist. **Skin Contact** Minimal risk of harm if swallowed. Do not induce vomiting. Seek medical attention immediately. Ingestion Provide medical care provider with this SDS. 4.2. Most important symptoms and effects, both acute and delayed **Symptoms** Not determined 4.3. Indication of any immediate medical attention and special treatment needed Aspiration during swallowing or vomiting may severely damage the lungs. If evacuation of stomach Note to Doctor contents is necessary, use method least likely to cause aspiration.

### **SECTION 5: Firefighting measures**

5.1. Extinguishing media	
Suitable and Unsuitable	Use alcohol resistant foam, carbon dioxide, or dry chemical when fighting fires. Water or foam may
Extinguishing Media:	cause frothing if liquid is burning but it still may be a useful extinguishing agent if carefully applied
	to the surface of the fire. Do not direct a stream of water into the hot burning liquid.
5.2. Special hazards arising from	om the substance or mixture
Fire and/or Explosion	Material may be ignited only if preheated to temperatures above the high flash point, for example in
Hazards	a fire.
5.3. Advice for firefighters	
Fire Fighting Methods and	Do not enter fire area without proper protection including self- contained breathing apparatus and
Protection	full protective equipment. Use methods for the surrounding fire.
Hazardous Combustion	Carbon monoxide, Hydrogen sulfide, Nitrogen containing gases
Products	

### **SECTION 6: Accidental release measures**

### 6.1. Personal precautions, protective equipment and emergency procedures

**General Measures:** No adverse health affects expected from the clean up of spilled material. Follow personal protective equipment recommendations found in Section 8 of this SDS.

#### **6.2.** Environmental precautions

Do not flush to sewer.

Avoid runoff into storm sewers and ditches that lead to waterways.

Remove from water surface by skimming or with suitable absorbents. Do not use dispersants.

### 6.3. Methods and material for containment and cleaning up

**Methods for cleaning up:** Prevent the spread of any spill to minimize harm to human health and the environment if safe to do so. Wear complete and proper personal protective equipment following the recommendation of Section 8 at a minimum. Dike with suitable absorbent material like granulated clay. Dispose of according to Federal, State, Local, or Provincial regulations. Used fluid should be disposed of at a recycling center.

### 6.4. Reference to other sections

Follow all protective equipment recommendations provided in Section 8.

### **SECTION 7: Handling and storage**

#### 7.1. Precautions for safe handling

No special handling instructions due to toxicity.

### 7.2. Conditions for safe storage, including any incompatibilities

Store in a cool dry place. Isolate from incompatible materials.

Incompatible materials

See Section 10. **7.3. Specific end use(s)** 

Hydraulic Oil

### **SECTION 8: Exposure controls/personal protection**

8.1. Control parameters		
Chemical Name	Occupational Exposure Limits	Value
Oil mist, mineral	OSHA PEL	5 mg/m3
Oil mist, mineral	OSHA PEL	5 mg/m3
Oil mist, mineral	ACGIH TLV-TWA	5 mg/m3
Oil mist, mineral	ACGIH TLV-TWA	5 mg/m3
Oil mist, mineral	ACGIH STEL	10 mg/m3
Oil mist, mineral	ACGIH STEL	10 mg/m3
None.	IDLH	
None.	<b>OSHA PEL-Skin Notation</b>	

#### 8.2. Exposure controls Engineering Measures

Use local exhaust ventilation or other engineering controls to minimize exposures and maintain

8.2. Exposure controls	
_	operator comfort.
<b>Respiratory Protection</b>	Respiratory protection may be required to avoid overexposure when handling this product. General or local exhaust ventilation is the preferred means of protection. Use a respirator if general room ventilation is not available or sufficient to eliminate symptoms.
<b>Respirator Type(s)</b>	None required where adequate ventilation is provided. If airborne concentrations are above the applicable exposure limits, use NIOSH/MSHA approved respiratory protection.
Eye Protection	No special requirements under normal industrial use.
Skin Protection	Not normally considered a skin hazard. Where use can result in skin contact, practice good personal hygiene. Wash hands and other exposed areas with mild soap and water before eating, drinking, and when leaving work.
Gloves	Neoprene, Nitrile

# **SECTION 9: Physical and chemical properties**

9.1. Information on basic phys	sical and chemical properties
Physical State	Liquid
Color	Amber
Odor	Mild
Odor threshold	Not determined
pH	Not determined
Freezing point	Not determined
Boiling Point	Not determined
Flash Point (°C)	207
Flash Point Method	COC
Evaporation Rate	Not determined
Upper Flammable/Explosive	= 10
Limit, % in air	
Lower Flammable/Explosive	= 1
Limit, % in air	
Flammability (solid, gas)	Not applicable
Vapor pressure	<0.20
Vapor Density	Not determined
<b>Relative Density</b>	0.86
Solubility in Water	Negligible; 0-1%
<b>Octanol/Water Partition</b>	Not determined
Coefficient	
Autoignition Temperature	Not determined
<b>Decomposition Temperature</b>	Not determined
Viscosity(°C)	34.92
9.2. Other information	
Volatiles, % by weight	0.000000

# SECTION 10: Stability and reactivity

No data available.
Stable under normal conditions.
s Hazardous polymerization will not occur.
Temperatures above the high flash point of this combustible material in combination with sparks, open flames, or other sources of ignition. Moisture (will lead to product performance degradation).
Strong oxidizing agents
Carbon monoxide, Hydrogen sulfide, Nitrogen containing gases

# **SECTION 11: Toxicological information**

11.1. Information on toxicological effects

### **SECTION 11: Toxicological information**

Ingestion Toxicity	No hazard in normal industrial use. Estimated to be $> 5.0$ g/kg.
Skin Contact	Estimated to be non-irritating to skin (Primary Irritation Index is <0.5 [rabbits]). No hazard in
	normal industrial use.
Absorption	Likely to be practically non-toxic based on animal data.
Inhalation Toxicity	No hazard in normal industrial use. Likely to be practically non-toxic based on animal data.
Eye Contact	This material is estimated to be non-irritating eyes (Draize score <15 [rabbits]). No hazard in normal
	industrial use.
Sensitization	Non-hazardous under Respiratory Sensitization category.No data available to indicate product or
	components may be a skin sensitizer.
Mutagenicity	No data available to indicate product or any components present at greater than 0.1% is mutagenic
	or genotoxic.
Carcinogenicity	Not expected to cause cancer. This product meets the IP-346 criteria of <3% PAH's and is not
	considered a carcinogen by the International Agency for Research on Cancer.
Reproductive and	No data available to indicate product or any components present at greater than 0.1% may cause
<b>Developmental Toxicity</b>	birth defects.
Specific target organ	Non-hazardous under Specific Target Organ Systemic Toxicity Single Exposure category.
toxicity-Single exposure	
Specific target organ	Non-hazardous under Specific Target Organ Systemic Toxicity Repeated Exposure category.
toxicity-Repeated exposure	
Aspiration toxicity	Non-hazardous under Aspiration category.
Other information	No data available.

#### Agents Classified by IARC Monographs

Not applicable	IARC Group 1
Not applicable	IARC Group 2A
Not applicable	IARC Group 2B

#### National Toxicity Program (NTP) Status

Not applicableKnown Human CarcinogenNot applicableReasonably Anticipated To Be A Human Carcinogen

### **SECTION 12: Ecological information**

12.1. Toxicity
Acute Aquatic ecotoxicity: Non-hazardous under Aquatic Acute Environment category.
Chronic Aquatic ecotoxicity: Non-hazardous under Aquatic Chronic Environment category.
12.2. Persistence and degradability
Biodegrades at a moderate rate.
12.3. Bioaccumulative potential
Bioconcentration may occur.
12.4. Mobility in soil
This material is expected to have essentially no mobility in soil. It absorbs strongly to most soil types.
12.5. Results of PBT and vPvB assessment
No data available.
12.6. Other adverse effects
Not determined

### **SECTION 13: Disposal considerations**

## 13.1. Waste treatment methods

**Disposal Methods** Dispose of according to Federal, State, Local, or Provincial regulations. Recycle used oil. **Waste Disposal Code(s) Waste Description for Spent Product** 

Spent or discarded material is non-hazardous according to environmental regulations. **Contaminated packaging:** 

# **SECTION 13: Disposal considerations**

Recycle containers whenever possible. Recycle containers whenever possible. Recycle containers whenever possible. Recycle containers whenever possible.

### **SECTION 14: Transport information**

**DOT Basic** Not classified as hazardous for transport (DOT, TDG, IMO/IMDG, IATA/ICAO). **Description** 

### **SECTION 15: Regulatory information**

<u>Chemical Inventories</u> U.S. State Restrictions: WHMIS:

Not applicable Uncontrolled product according to WHMIS classification criteria.

Chemical Name	Regu	ilation	CAS #		%
None.	CER	CLA			
Toluene	SAR	A 313	108-88-3		<10ppm
None.	SAR	A EHS			
None.	TSC	A 12b			
U.S. State Regulations					
Chemical Name	Regu	ilation	CAS #		%
None.	0	fornia Prop 65-			
	Canc	-			
Toluene	Calif	ornia Prop 65- Dev.	108-88-3		<10ppm
	Toxi	city			
None.	Calif	ornia Prop 65-			
	Repr	od -fem			
None.	Calif	ornia Prop 65-			
	Repr	od-male			
None.	Mass	achusetts RTK List			
None.	New	Jersey RTK List			
None.	Penn	sylvania RTK List			
None.	Rhod	le Island RTK List			
None.	Minr	nesota Hazardous			
	Subs	tance List			
	HMIS Ratii	nac•	NFPA Ratings:		
	Health:	0	Health:	0	
	Fire:	1	Fire:	1	
	Reactivity:	0	Reactivity:	0	
	PPE:	B	Reactivity.	0	
	FFE.	D			
KEY:	0 - Least	1 - Slight	2 - Moderate	3 - High	4 – Extreme

### **SECTION 16: Other information**

Revision Date	10/22/2015 1:25:57 PM
Supersedes:	6/8/2012 11:52:34 AM
References	ACGIH: American Conference of Governmental Industrial Hygienists
	AIHA: American Industrial Hygiene Association
	CFR: Code of Federal Regulations
	DOT: United States Department of Transportation
	GHS: Globally Harmonized System of Classification and Labeling of Chemicals
	HMIS: Hazardous Materials Identification System

### **SECTION 16: Other information** IARC: International Agency for Research on Cancer IATA: International Air Transportation Association IDLH: Immediately Dangerous to Life or Health IMDG: International Maritime Dangerous Goods NFPA: National Fire Protection Association NIOSH: National Institute for Occupational Safety and Health NTP: National Toxicology Program OSHA: Occupational Safety and Health Administration PEL: Permissible Exposure Limit RTK: Right-to-Know SARA: Superfund Amendments and Reauthorization Act STEL: Short-term Exposure Limit TLV: Threshold limit value TSCA: Toxic Substances Control Act TWA: Time weighted average UN: United Nations WHMIS: Workplace Hazardous Materials Information System THIS PRODUCT MATERIAL SAFETY DATA SHEET PROVIDES HEALTH AND SAFETY Disclaimer INFORMATION. THE PRODUCT SHOULD BE USED IN APPLICATIONS CONSISTENT WITH THIS PRODUCT LITERATURE. FOR ANY OTHER USES. EXPOSURES SHOULD BE EVALUATED SO THAT APPROPRIATE HANDLING PRACTICES AND TRAINING PROGRAMS CAN BE ESTABLISHED TO ENSURE SAFE WORKPLACE OPERATIONS. THIS MATERIAL SAFETY DATA SHEET IS PROVIDED IN GOOD FAITH AND MEETS THE REQUIREMENTS OF THE HAZARDOUS COMMUNICATION PROVISIONS OF SARA TITLE III AND 29 CFR 1910.1200(g) OF THE OSHA REGULATIONS. THE ABOVE INFORMATION IS BASED ON REVIEW OF AVAILABLE INFORMATION SINCLAIR BELIEVES IS RELIABLE AND IS SUPPLIED FOR INFORMATIONAL PURPOSES ONLY. SINCLAIR DOES NOT GUARANTEE ITS COMPLETENESS OR ACCURACY. SINCE CONDITIONS OF USE ARE OUTSIDE THE CONTROL OF SINCLAIR, SINCLAIR DISCLAIMS ALL WARRANTIES, EXPRESS OR IMPLIED, AND ANY LIABILITY FOR DAMAGE OR INJURY WHICH RESULTS FROM THE USE OF THE ABOVE DATA. NOTHING HEREIN IS INTENDED TO PERMIT INFRINGEMENT OF VALID PATENTS AND LICENSES.