

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier		
Product Name:	SINCLAIR R&O 68 55GL	010#1021
Product Code:	SI526855 (Sinclair Code: 551-00	3)

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended use:Hydraulic OilRecommendedNot applicablerestrictions:Image: Control of the second se

1.3. Details of the supplier of the safety data sheet

Manufacturer:	Warren Distribution, In	IC.
	727 S. 13th Street	
	Omaha, NE 68102	
Information Phone:	+01 (800) 825-1235	+01 (402) 341-9397
E-mail:	sds@wd-wpp.com	

1.4. Emergency telephone numberEmergency phone number:CHEMTREC: +1 (800) 424-9300International: +01 (703) 527-3887

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture Not classified under GHS

2.2. Label elements

2.3. Other hazards

Hazards not otherwise Avoid prolonged or repeated skin contact with used fluid. classified:

Unknown acute toxicity (GHS-US)

SECTION 3: Composition/information on ingredients Chemical Name % CAS # GHS Classification Components not listed are not physical or health hazards as defined in 29 CFR 1910.1200 (Hazard Communication Standard). Standard

SECTION 4: First aid m	leasures	
4.1. Description of first aid m	easures	
Inhalation	Remove to fresh air. If breathing is difficult, have a trained individual administer oxygen.	
Eyes	None expected to be needed, however, use an eye wash to remove a chemical from your eye regardless of the level of hazard.	
Skin Contact	Wash with soap and water. Get medical attention if irritation develops or persists. Seek medical advice if symptoms persist.	
Ingestion	Minimal risk of harm if swallowed. Do not induce vomiting. Seek medical attention immediately. Provide medical care provider with this SDS.	
4.2. Most important symptom	is and effects, both acute and delayed	
Symptoms	Not determined	
4.3. Indication of any immediate medical attention and special treatment needed		
Note to Doctor	Aspiration during swallowing or vomiting may severely damage the lungs. If evacuation of stomach contents is necessary, use method least likely to cause aspiration.	

SECTION 5: Firefighting measures

5.1. Extinguishing media	
Suitable and Unsuitable	Use alcohol resistant foam, carbon dioxide, or dry chemical when fighting fires. Water or foam may
Extinguishing Media:	cause frothing if liquid is burning but it still may be a useful extinguishing agent if carefully applied
	to the surface of the fire. Do not direct a stream of water into the hot burning liquid.
5.2. Special hazards arising from	om the substance or mixture
Fire and/or Explosion	Material may be ignited only if preheated to temperatures above the high flash point, for example in
Hazards	a fire.
5.3. Advice for firefighters	
Fire Fighting Methods and	Do not enter fire area without proper protection including self- contained breathing apparatus and
Protection	full protective equipment. Use methods for the surrounding fire.
Hazardous Combustion	Carbon monoxide, Smoke
Products	

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General Measures: No data available.

6.2. Environmental precautions

Do not flush to sewer.

Avoid runoff into storm sewers and ditches that lead to waterways.

Remove from water surface by skimming or with suitable absorbents. Do not use dispersants.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up: Prevent the spread of any spill to minimize harm to human health and the environment if safe to do so. Wear complete and proper personal protective equipment following the recommendation of Section 8 at a minimum. Dike with suitable absorbent material like granulated clay. Dispose of according to Federal, State, Local, or Provincial regulations. Used fluid should be disposed of at a recycling center.

6.4. Reference to other sections

Follow all protective equipment recommendations provided in Section 8.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

No special handling instructions due to toxicity.

7.2. Conditions for safe storage, including any incompatibilities

Store in a cool dry place. Isolate from incompatible materials.

Incompatible materials See Section 10. 7.3. Specific end use(s) Hydraulic Oil

SECTION 8: Exposure controls/personal protection

8.1. Control parameters		
Chemical Name	Occupational Exposure Limits	Value
Oil mist, mineral	OSHA PEL	5 mg/m3
Oil mist, mineral	ACGIH TLV-TWA	5 mg/m3
Oil mist, mineral	ACGIH STEL	10 mg/m3
None.	IDLH	
None.	OSHA PEL-Skin Notation	
8.2. Exposure controls		
Engineering Measures	Use local exhaust ventilation or other engineering of	ontrols to minimize exposures and maintain
	operator comfort.	
Respiratory Protection	Respiratory protection may be required to avoid overexposure when handling this product. General or local exhaust ventilation is the preferred means of protection. Use a respirator if general room ventilation is not available or sufficient to eliminate symptoms.	

8.2. Exposure controls	
Respirator Type(s)	None required where adequate ventilation is provided. If airborne concentrations are above the
	applicable exposure limits, use NIOSH/MSHA approved respiratory protection.
Eye Protection	No special requirements under normal industrial use.
Skin Protection	Not normally considered a skin hazard. Where use can result in skin contact, practice good personal
	hygiene. Wash hands and other exposed areas with mild soap and water before eating, drinking, and
	when leaving work.
Gloves	Neoprene, Nitrile

SECTION 9: Physical and chemical properties

9.1. Information on basic phys	
Physical State	Liquid
Color	Amber
Odor	Mild
Odor threshold	Not determined
pH	Not determined
Freezing point	-20
Boiling Point	Not determined
Flash Point (°C)	210
Flash Point Method	COC
Evaporation Rate	Not determined
Upper Flammable/Explosive	Not established
Limit, % in air	
Lower Flammable/Explosive	Not established
Limit, % in air	
Flammability (solid, gas)	Not applicable
Vapor pressure	< 0.20
Vapor Density	Not determined
Relative Density	0.87
Solubility in Water	Negligible; 0-1%
Octanol/Water Partition	Not determined
Coefficient	
Autoignition Temperature	Not determined
Decomposition Temperature	Not determined
Viscosity(°C)	68.92
9.2. Other information	
Volatiles, % by weight	0.000000

SECTION 10: Stability and reactivity

10.1. Reactivity	No data available.
10.2. Chemical stability	Stable under normal conditions.
10.3. Possibility of hazardous	Hazardous polymerization will not occur.
reactions	
10.4. Conditions to avoid	Temperatures above the high flash point of this combustible material in combination with sparks,
	open flames, or other sources of ignition. Moisture (will lead to product performance degradation).
10.5. Incompatible materials	Strong oxidizing agents
10.6. Hazardous	Carbon monoxide, Smoke
decomposition products	

SECTION 11: Toxicological information

11.1. Information on toxicological effects		
hazard in normal industrial use. Estimated to be > 5.0 g/kg.		
tely to be non-irritating to skin based on animal data.No hazard in normal industrial use.		
tely to be practically non-toxic based on animal data.		
hazard in normal industrial use. Likely to be practically non-toxic based on animal data.		

SECTION 11: Toxicological information		
Eye Contact	This material is likely to be non-irritating to eyes based on animal data. No hazard in normal	
	industrial use.	
Sensitization	Non-hazardous under Respiratory Sensitization category.No data available to indicate product or components may be a skin sensitizer.	
Mutagenicity	No data available to indicate product or any components present at greater than 0.1% is mutagenic or genotoxic.	
Carcinogenicity	Not expected to cause cancer. This product meets the IP-346 criteria of $<3\%$ PAH's and is not considered a carcinogen by the International Agency for Research on Cancer.	
Reproductive and	No data available to indicate product or any components present at greater than 0.1% may cause	
Developmental Toxicity	birth defects.	
Specific target organ toxicity-Single exposure	Non-hazardous under Specific Target Organ Systemic Toxicity Single Exposure category.	
Specific target organ toxicity-Repeated exposure	Non-hazardous under Specific Target Organ Systemic Toxicity Repeated Exposure category.	
Aspiration toxicity	Non-hazardous under Aspiration category.	
Other information	No data available.	

Agents Classified by IARC Monographs

Arsenic	IARC Group 1
Ethylene oxide	IARC Group 1
Not applicable	IARC Group 2A
Ethyl acrylate	IARC Group 2B
1,4-Dioxane	IARC Group 2B
Propylene oxide	IARC Group 2B

National Toxicity Program (NTP) Status

Arsenic	Known Human Carcinogen
Ethylene oxide	Known Human Carcinogen
1,4-Dioxane	Reasonably Anticipated To Be A Human Carcinogen
Propylene oxide	Reasonably Anticipated To Be A Human Carcinogen

SECTION 12: Ecological information

12.1. Toxicity
Acute Aquatic ecotoxicity: Non-hazardous under Aquatic Acute Environment category.
Chronic Aquatic ecotoxicity: Non-hazardous under Aquatic Chronic Environment category.
12.2. Persistence and degradability
Biodegrades slowly.
12.3. Bioaccumulative potential
Bioconcentration may occur.
12.4. Mobility in soil
This material is expected to have essentially no mobility in soil. It absorbs strongly to most soil types.
12.5. Results of PBT and vPvB assessment
No data available.
12.6. Other adverse effects
Not determined

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal Methods Dispose of according to Federal, State, Local, or Provincial regulations. Recycle used oil. Waste Disposal Code(s) Waste Description for Spent Product

Spent or discarded material is non-hazardous according to environmental regulations. **Contaminated packaging:**

SECTION 13: Disposal considerations

Recycle containers whenever possible. Recycle containers whenever possible.

SECTION 14: Transport information

DOT Basic Description Not classified as hazardous for transport (DOT, TDG, IMO/IMDG, IATA/ICAO).

SECTION 15: Regulatory information

<u>Chemical Inventories</u> TSCA Status U.S. State Restrictions: WHMIS:	All components of this material are on the US TSCA Inventory or are exempt. Not applicable Uncontrolled product according to WHMIS classification criteria.				
Chemical Name	Regulation	CAS #	%		
None.	CERCLA	100 20 4	0.01 0.1		
Diphenylamine	SARA 313	122-39-4 140-88-5	0.01 - 0.1 0.001- 0.01		
Ethyl acrylate Arsenic	SARA 313				
Toluene	SARA 313 SARA 313	7440-38-2 108-88-3	<10ppm		
1,4-Dioxane	SARA 313 SARA 313	108-88-5 123-91-1	<10ppm <10ppm		
Ethylene oxide	SARA 313 SARA 313	75-21-8	<10ppm		
Propylene oxide	SARA 313 SARA 313	75-56-9	<10ppm		
None.	SARA 515 SARA EHS	15-50-9	<10ppin		
None.	TSCA 12b				
U.S. State Regulations		010#	%		
Chemical Name	Regulation	CAS #	% 0 0.001- 0.01		
Ethyl acrylate	California Prop 65- Cancer	140-88-5	0.001- 0.01		
1,4-Dioxane	California Prop 65-	123-91-1	<10ppm		
	Cancer				
Ethylene oxide	California Prop 65- Cancer	75-21-8	<10ppm		
Propylene oxide	California Prop 65- Cancer	75-56-9	<10ppm		
Toluene	California Prop 65- Dev. Toxicity	108-88-3	<10ppm		
Ethylene oxide	California Prop 65- Dev. Toxicity	75-21-8	<10ppm		
Ethylene oxide	California Prop 65- Reprod -fem	75-21-8	<10ppm		
Ethylene oxide	California Prop 65- Reprod-male	75-21-8	<10ppm		
None.	Massachusetts RTK List				
None.	New Jersey RTK List				
None.	Pennsylvania RTK List				
None.	Rhode Island RTK List				
None.	Minnesota Hazardous				
	Substance List				
	HMIS Ratings:	NFPA Ratings:			
	Health: 0	Health: 0			

Fire:

Reactivity:

1

0

Fire:

Reactivity:

1

0

		PPE:	В				
	KEY:	0 - Least	1 - Slight	2 - Moderate	3 - High	4 – Extreme	
SECTION	16: Othe	r information	l				
Revision Da Supersedes: References		 10/23/2015 10:15:10 AM 6/11/2012 9:31:51 AM ACGIH: American Conference of Governmental Industrial Hygienists AIHA: American Industrial Hygiene Association CFR: Code of Federal Regulations DOT: United States Department of Transportation GHS: Globally Harmonized System of Classification and Labeling of Chemicals HMIS: Hazardous Materials Identification System IARC: International Agency for Research on Cancer IATA: International Air Transportation Association IDLH: Immediately Dangerous to Life or Health IMDG: International Maritime Dangerous Goods NFPA: National Fire Protection Association NIOSH: National Institute for Occupational Safety and Health NTP: National Toxicology Program OSHA: Occupational Safety and Health Administration 					
Disclaimer		PEL: Permi RTK: Right SARA: Sup STEL: Shor TLV: Thres TSCA: Tox TWA: Time UN: United WHMIS: W THIS PROI INFORMA' THIS PROI EVALUAT	ssible Exposure Li -to-Know erfund Amendmen t-term Exposure L hold limit value ic Substances Conte weighted average Nations orkplace Hazardou DUCT MATERIAI FION. THE PROD DUCT LITERATU ED SO THAT AP	mit ts and Reauthorization imit rol Act SAFETY DATA SHI DUCT SHOULD BE US RE. FOR ANY OTHE PROPRIATE HANDLI	Act n System EET PROVIDES SED IN APPLICA R USES, EXPOS NG PRACTICES		
		THIS MATERIAL SAFETY DATA SHEET IS PROVIDED IN GOOD FAITH AND MEETS THE REQUIREMENTS OF THE HAZARDOUS COMMUNICATION PROVISIONS OF SARA TITLE III AND 29 CFR 1910.1200(g) OF THE OSHA REGULATIONS. THE ABOVE INFORMATION IS BASED ON REVIEW OF AVAILABLE INFORMATION SINCLAIR BELIEVES IS RELIABLE AND IS SUPPLIED FOR INFORMATIONAL PURPOSES ONLY. SINCLAIR DOES NOT GUARANTEE ITS COMPLETENESS OR ACCURACY. SINCE CONDITIONS OF USE ARE OUTSIDE THE CONTROL OF SINCLAIR, SINCLAIR DISCLAIMS ALL WARRANTIES, EXPRESS OR IMPLIED, AND ANY LIABILITY FOR DAMAGE OR INJURY WHICH RESULTS FROM THE USE OF THE ABOVE DATA. NOTHING HEREIN IS INTENDED TO PERMIT INFRINGEMENT OF VALID PATENTS AND LICENSES.					