

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier	
Product Name:	SL Synthetic 5w20 SN
Product Code:	SI52FN55 (SINCLAIR CODE: 504-003)

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended use:MoRecommendedNotrestrictions:Not

Motor Oil Not applicable

### 1.3. Details of the supplier of the safety data sheet

Manufacturer: Warren Distributio		Warren Distribution, Inc.	
		727 S. 13th Street	
		Omaha, NE 68102	
<b>Information Phor</b>	ne:	+01 (800) 825-1235	+01 (402) 341-9397
E-mail:		sds@wd-wpp.com	

#### **1.4. Emergency telephone number Emergency phone number:** CHE

CHEMTREC: +1 (800) 424-9300 International: +01 (703) 527-3887

## **SECTION 2: Hazards identification**

**2.1. Classification of the substance or mixture** Hazardous to the aquatic environment - Chronic Category 2

2.2. Label elements GHS Hazard Symbols



Hazard Statements	H411 - Toxic to aquatic life with long lasting effects.		
Precautionary Statements			
Prevention	P273 - Avoid release to the environment.		
Response	P391 - Collect spillage.		
Disposal	P501- Dispose of contents/container in accordance with local/regional/national/international regulations.		
2.3. Other hazards			
Hazards not otherwise classified:	Avoid prolonged or repeated contact with used motor oil. Used motor oil has been shown to cause skin cancer in laboratory animals.		

### Unknown acute toxicity (GHS-US)

SECTION 3: Composition/information on ingredients			
Chemical Name	%	CAS #	GHS Classification
Lubricating oils (petroleum), C20-50, hydrotreated	90 - 99	72623-87-1	Aquatic Acute 1; H400
neutral oil-based Lubricating oils (petroleum), C20-50,	1 - 5	64742-54-7	Aquatic Chronic 1; H410
hydrotreated neutral oil-based	0.5 - 1.5	68649-42-3	Acute Tox. 4; H302
	0.1 - 1		Acute Tox. 3; H331
	0.001-0.01		Acute Tox. 4; H332

## **SECTION 3: Composition/information on ingredients**

Acute Tox. 3; H331

Components not listed are not physical or health hazards as defined in 29 CFR 1910.1200 (Hazard Communication Standard).

#### **SECTION 4: First aid measures**

4.1. Description of first a	id measures
Inhalation	Remove to fresh air. If breathing is difficult, have a trained individual administer oxygen.
Eyes	None expected to be needed, however, use an eye wash to remove a chemical from your eye regardless of the level of hazard.
Skin Contact	Wash with soap and water. Get medical attention if irritation develops or persists. Seek medical advice if symptoms persist.
Ingestion	Minimal risk of harm if swallowed. Do not induce vomiting. Seek medical attention immediately.
-	Provide medical care provider with this SDS.
4.2. Most important sym	ptoms and effects, both acute and delayed
Symptoms	Not determined
4.3. Indication of any im	mediate medical attention and special treatment needed
Note to Doctor	Aspiration during swallowing or vomiting may severely damage the lungs. If evacuation of stomach contents is necessary, use method least likely to cause aspiration.

<b>SECTION 5: Firefighting</b>	g measures	
5.1. Extinguishing media		
Suitable and Unsuitable	Use alcohol resistant foam, carbon dioxide, or dry chemical when fighting fires. Water or foam may	
Extinguishing Media:	cause frothing if liquid is burning but it still may be a useful extinguishing agent if carefully applied	
	to the surface of the fire. Do not direct a stream of water into the hot burning liquid.	
5.2. Special hazards arising from the substance or mixture		
Fire and/or Explosion	Material may be ignited only if preheated to temperatures above the high flash point, for example in	
Hazards	a fire.	
5.3. Advice for firefighters		
Fire Fighting Methods and	Do not enter fire area without proper protection including self- contained breathing apparatus and	
Protection	full protective equipment. Use methods for the surrounding fire.	
Hazardous Combustion	Carbon dioxide, Carbon monoxide	
Products		

### **SECTION 6: Accidental release measures**

### 6.1. Personal precautions, protective equipment and emergency procedures

**General Measures:** No health affects expected from the clean up of this material if contact can be avoided. Follow personal protective equipment recommendations found in Section 8 of this SDS.

#### 6.2. Environmental precautions

Do not flush to sewer.

Avoid runoff into storm sewers and ditches that lead to waterways.

Remove from water surface by skimming or with suitable absorbents. Do not use dispersants.

### 6.3. Methods and material for containment and cleaning up

**Methods for cleaning up:** Prevent the spread of any spill to minimize harm to human health and the environment if safe to do so. Wear complete and proper personal protective equipment following the recommendation of Section 8 at a minimum. Dike with suitable absorbent material like granulated clay. Dispose of according to Federal, State, Local, or Provincial regulations. Used fluid should be disposed of at a recycling center. P391 - Collect spillage.

### 6.4. Reference to other sections

Follow all protective equipment recommendations provided in Section 8.

## **SECTION 7: Handling and storage**

7.1. Precautions for safe handling
Mildly irritating material. Avoid unnecessary exposure.
7.2. Conditions for safe storage, including any incompatibilities
Store in a cool dry place. Isolate from incompatible materials.
Incompatible materials
See Section 10.
7.3. Specific end use(s)
Motor Oil

## **SECTION 8: Exposure controls/personal protection**

8.1. Control parameters			
Chemical Name	<b>Occupational Exposure Limits</b>	Value	
Lubricating oils (petroleum), C20-	-50, OSHA PEL	5 mg/m3	
hydrotreated neutral oil-based			
Oil mist, mineral	OSHA PEL	5 mg/m3	
Lubricating oils (petroleum), C20-	-50, ACGIH TLV-TWA	5 mg/m3	
hydrotreated neutral oil-based			
Oil mist, mineral	ACGIH TLV-TWA	5 mg/m3	
Lubricating oils (petroleum), C20	-50, ACGIH STEL	10 mg/m3	
hydrotreated neutral oil-based			
Oil mist, mineral	ACGIH STEL	10 mg/m3	
None.	IDLH		
None.	<b>OSHA PEL-Skin Notation</b>		
8.2. Exposure controls			
	Use local exhaust ventilation or other engineering controls to minimize exposures and maintain operator comfort.		
	Respiratory protection may be required to avoid overexposure when handling this product. General		
	or local exhaust ventilation is the preferred means of protection. Use a respirator if general room		
	ventilation is not available or sufficient to elin		
<b>Respirator Type(s)</b>	None required where adequate ventilation is provided. If airborne concentrations are above the		
	applicable exposure limits, use NIOSH/MSHA approved respiratory protection.		
Eye Protection	No special requirements under normal industrial use.		
Skin Protection	Where use can result in skin contact, practice good personal hygiene and wear impervious gloves.		
	Wash hands and other exposed areas with mild soap and water before eating, drinking, and when		
	leaving work.		
Gloves	Nitrile, Polyvinyl chloride, Impervious rubbe	r	

# **SECTION 9: Physical and chemical properties**

9.1. Information on basic physical and chemical properties			
Physical State	Liquid		
Color	Brown		
Odor	Mild		
Odor threshold	Not determined		
рН	Not determined		
Freezing point	Not determined		
Boiling Point	Not determined		
Flash Point (°C)	208		
Flash Point Method	COC		
Evaporation Rate	Not determined		
Upper Flammable/Explosive	Not established		
Limit, % in air			
Lower Flammable/Explosive	Not established		
Limit, % in air			

# **SECTION 9: Physical and chemical properties**

9.1. Information on basic physical and chemical properties			
Not applicable			
Not determined			
Not determined			
0.85			
Negligible; 0-1%			
Not determined			
Not determined			
Not determined			
49.86			
0.000000			

## **SECTION 10: Stability and reactivity**

10.1. Reactivity	No data available.
10.2. Chemical stability	Stable under normal conditions.
10.3. Possibility of hazardous	Hazardous polymerization will not occur.
reactions	
<b>10.4.</b> Conditions to avoid	Temperatures above the high flash point of this combustible material in combination with sparks, open flames, or other sources of ignition. Moisture (will lead to product performance degradation).
10.5. Incompatible materials	Strong oxidizing agents
10.6. Hazardous	Carbon dioxide, Carbon monoxide
decomposition products	

# **SECTION 11: Toxicological information**

11.1. Information on toxicological effects		
Ingestion Toxicity	No hazard in normal industrial use. Estimated to be $> 5.0$ g/kg.	
Skin Contact	This material is estimated to be slightly irritating (Primary Irritation Index is 0.5 - 3.0 [rabbits]).Can cause minor skin irritation, defatting, and dermatitis.	
Absorption	Likely to be practically non-toxic based on animal data.	
Inhalation Toxicity	No hazard in normal industrial use. Likely to be practically non-toxic based on animal data.	
Eye Contact	This material is estimated to be non-irritating eyes (Draize score <15 [rabbits]). No hazard in normal industrial use.	
Sensitization	Non-hazardous under Respiratory Sensitization category.No data available to indicate product or components may be a skin sensitizer.	
Mutagenicity	No data available to indicate product or any components present at greater than 0.1% is mutagenic or genotoxic.	
Carcinogenicity	Not expected to cause cancer. This product meets the IP-346 criteria of <3% PAH's and is not considered a carcinogen by the International Agency for Research on Cancer.	
Reproductive and	No data available to indicate product or any components present at greater than 0.1% may cause	
<b>Developmental Toxicity</b>	birth defects.	
Specific target organ toxicity-Single exposure	Non-hazardous under Specific Target Organ Systemic Toxicity Single Exposure category.	
Specific target organ toxicity-Repeated exposure	Non-hazardous under Specific Target Organ Systemic Toxicity Repeated Exposure category.	
Aspiration toxicity	Non-hazardous under Aspiration category.	
Other information	No data available.	

## Agents Classified by IARC Monographs

Not applicable	IARC Group 1
Not applicable	IARC Group 2A
Not applicable	IARC Group 2B

### National Toxicity Program (NTP) Status

Not applicableKnown Human CarcinogenNot applicableReasonably Anticipated To Be A Human Carcinogen

### **SECTION 12: Ecological information**

12.1. Toxicity
Acute Aquatic ecotoxicity: Non-hazardous under Aquatic Acute Environment category.
Chronic Aquatic ecotoxicity: H411 - Toxic to aquatic life with long lasting effects.
12.2. Persistence and degradability
Biodegrades slowly.
12.3. Bioaccumulative potential
Bioconcentration may occur.
12.4. Mobility in soil
This material is expected to have essentially no mobility in soil. It absorbs strongly to most soil types.
12.5. Results of PBT and vPvB assessment
No data available.
12.6. Other adverse effects
Not determined

### **SECTION 13: Disposal considerations**

## 13.1. Waste treatment methods

Disposal Methods
Dispose of according to Federal, State, Local, or Provincial regulations. Recycle used oil.
Waste Disposal Code(s)
Waste Description for Spent Product
Spent or discarded material is non-hazardous according to environmental regulations.
Contaminated packaging:
Recycle containers whenever possible.

Recycle containers whenever possible.

### **SECTION 14: Transport information**

**DOT Basic** Not classified as hazardous for transport (DOT, TDG, IMO/IMDG, IATA/ICAO). **Description** 

### **SECTION 15: Regulatory information**

Chemical Inventories	
U.S. State Restrictions:	Not applicable
WHMIS:	Uncontrolled product according to WHMIS classification criteria.

<b>Chemical Name</b> None. None. None.	Regulation CERCLA SARA 313 SARA EHS TSCA 12b	CAS #	%		
U.S. State Regulations		<b>CAS</b> #	07		
Chemical Name	Regulation	CAS #	%		
None.	California Prop 65-				
	Cancer				
None.	California Prop 65- Dev.				
	Toxicity				
None.	California Prop 65-				
	Reprod -fem				
None.	California Prop 65-				
	Reprod-male				

<b>Chemical Name</b> None. None. None. None.	<b>Regulation</b> Massachusetts RTK New Jersey RTK Lis Pennsylvania RTK L Rhode Island RTK L Minnesota Hazardou Substance List	t ist ist		%
	HMIS Ratings:Health:1Fire:1Reactivity:0PPE:B	<u>NFPA Ratings:</u> Health: Fire: Reactivity:	1 1 0	
KEY:	0 - Least 1 - Slight	2 - Moderate	3 - High	4 – Extreme
SECTION 16: Other i Revision Date Supersedes: References Disclaimer	10/21/2015 11:52:54 AM None ACGIH: American Conference AIHA: American Industrial H CFR: Code of Federal Regula DOT: United States Departme GHS: Globally Harmonized S HMIS: Hazardous Materials I IARC: International Agency f IATA: International Agency f OSHA: Occupational Safety a PEL: Permissible Exposure Li RTK: Right-to-Know SARA: Superfund Amendmen STEL: Short-term Exposure Li TLV: Threshold limit value TSCA: Toxic Substances Con TWA: Time weighted average UN: United Nations WHMIS: Workplace Hazardo THIS PRODUCT MATERIA INFORMATION. THE PROI THIS PRODUCT LITERATU EVALUATED SO THAT AP PROGRAMS CAN BE ESTA THIS MATERIAL SAFETY REQUIREMENTS OF THE I	ygiene Association tions ent of Transportation ystem of Classification a dentification System or Research on Cancer sportation Association us to Life or Health e Dangerous Goods on Association Occupational Safety and ogram and Health Administration imit trol Act e us Materials Information L SAFETY DATA SHEI DUCT SHOULD BE USI JRE. FOR ANY OTHER PROPRIATE HANDLIN BLISHED TO ENSURE DATA SHEET IS PROV HAZARDOUS COMMU (2) OF THE OSHA REGU	and Labeling of O Health n Act ET PROVIDES ED IN APPLICA USES, EXPOS NG PRACTICES SAFE WORKH VIDED IN GOOI UNICATION PR JLATIONS. THE OSES ONLY. SE CY.	HEALTH AND SAFETY ATIONS CONSISTENT WITH SURES SHOULD BE S AND TRAINING PLACE OPERATIONS. D FAITH AND MEETS THE OVISIONS OF SARA TITLE E ABOVE INFORMATION IS R BELIEVES IS RELIABLE INCLAIR DOES NOT

## **SECTION 16: Other information**

DISCLAIMS ALL WARRANTIES, EXPRESS OR IMPLIED, AND ANY LIABILITY FOR DAMAGE OR INJURY WHICH RESULTS FROM THE USE OF THE ABOVE DATA. NOTHING HEREIN IS INTENDED TO PERMIT INFRINGEMENT OF VALID PATENTS AND LICENSES.