

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier	
Product Name:	SL HD Fleet 10 BU
Product Code:	SIDSL001 (SINCLAIR CODE: 512-001)

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended use:Automotive LubricantsRecommendedNot applicablerestrictions:Image: Comparison of the second secon

1.3. Details of the supplier of the safety data sheet

Manufacturer:	Warren Distribution, Ir	Warren Distribution, Inc.	
	727 S. 13th Street		
	Omaha, NE 68102		
Information Phone:	+01 (800) 825-1235	+01 (402) 341-9397	
E-mail:	sds@wd-wpp.com		

1.4. Emergency telephone numberEmergency phone number:CHEMTREC: +1 (800) 424-9300International: +01 (703) 527-3887

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture Not classified under GHS

2.2. Label elements

2.3. Other hazards	
Hazards not otherwise	Avoid prolonged or repeated contact with used motor oil. Used motor oil has been shown to cause
classified:	skin cancer in laboratory animals.

Unknown acute toxicity (GHS-US)

SECTION 3: Composition/information on ingredients			
Chemical Name	%	CAS #	GHS Classification
Petroleum distillates, solvent-refined heavy paraffinic	1 - 5	64741-88-4	
Components not listed are not physical or health hazards as defined in 29 CFR 1910.1200 (Hazard Communication Standard).			

SECTION 4: First aid	measures		
4.1. Description of first aid measures			
Inhalation	Remove to fresh air. If breathing is difficult, have a trained individual administer oxygen.		
Eyes	Use eye wash to remove a chemical from the eye. Flush the affected eye for at least fifteen minutes.		
	Tilt the head to prevent chemical from transferring to the uncontaminated eye. Seek medical attention if irritation persists.		
Skin Contact	Wash with soap and water. Get medical attention if irritation develops or persists. Seek medical advice if symptoms persist.		
Ingestion	Minimal risk of harm if swallowed. Do not induce vomiting. Seek medical attention immediately.		
Provide medical care provider with this SDS.			
4.2. Most important symptoms and effects, both acute and delayed			
Symptoms	Not determined		
4.3. Indication of any immediate medical attention and special treatment needed			

SECTION 4: First aid measures

Note to Doctor

Aspiration during swallowing or vomiting may severely damage the lungs. If evacuation of stomach contents is necessary, use method least likely to cause aspiration.

SECTION 5: Firefighting	g measures
5.1. Extinguishing media	
Suitable and Unsuitable	Use alcohol resistant foam, carbon dioxide, or dry chemical when fighting fires. Water or foam may
Extinguishing Media:	cause frothing if liquid is burning but it still may be a useful extinguishing agent if carefully applied
	to the surface of the fire. Do not direct a stream of water into the hot burning liquid.
5.2. Special hazards arising fr	om the substance or mixture
Fire and/or Explosion	Material may be ignited only if preheated to temperatures above the high flash point, for example in
Hazards	a fire.
5.3. Advice for firefighters	
Fire Fighting Methods and	Do not enter fire area without proper protection including self- contained breathing apparatus and
Protection	full protective equipment. Use methods for the surrounding fire.
Hazardous Combustion	Carbon monoxide, Smoke
Products	

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General Measures: No health affects expected from the clean up of this material if contact can be avoided. Follow personal protective equipment recommendations found in Section 8 of this SDS.

6.2. Environmental precautions

Do not flush to sewer.

Avoid runoff into storm sewers and ditches that lead to waterways.

Remove from water surface by skimming or with suitable absorbents. Do not use dispersants.

Avoid runoff into storm sewers and ditches that lead to waterways.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up: Prevent the spread of any spill to minimize harm to human health and the environment if safe to do so. Wear complete and proper personal protective equipment following the recommendation of Section 8 at a minimum. Dike with suitable absorbent material like granulated clay. Dispose of according to Federal, State, Local, or Provincial regulations. Used fluid should be disposed of at a recycling center. {EMSFORM_06GHS_CLEAN}

6.4. Reference to other sections

Follow all protective equipment recommendations provided in Section 8.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Mildly irritating material. Avoid unnecessary exposure.

7.2. Conditions for safe storage, including any incompatibilities

Store in a cool dry place. Isolate from incompatible materials.

Incompatible materials

See Section 10.

7.3. Specific end use(s) Automotive Lubricants

SECTION 8: Exposure controls/personal protection

8.1. Control parameters **Chemical Name Occupational Exposure Limits** Value Oil mist, mineral OSHA PEL 5 mg/m3 Oil mist, mineral OSHA PEL 5 mg/m3Oil mist. mineral **OSHA PEL** 5 mg/m3Oil mist, mineral ACGIH TLV-TWA 5 mg/m3 Oil mist. mineral ACGIH TLV-TWA 5 mg/m3Oil mist, mineral ACGIH TLV-TWA 5 mg/m310 mg/m3 Oil mist, mineral ACGIH STEL

SECTION 8: Exposure controls/personal protection

8.1. Control parameters			
Chemical Name	Occupational Exposure Limits	Value	
Oil mist, mineral	ACGIH STEL	10 mg/m3	
Oil mist, mineral	ACGIH STEL	10 mg/m3	
None.	IDLH		
None.	OSHA PEL-Skin Notation		
8.2. Exposure controls			
Engineering Measures	Use local exhaust ventilation or other engineering co operator comfort.	ntrols to minimize exposures and maintain	
Respiratory Protection	Respiratory protection may be required to avoid overexposure when handling this product. General or local exhaust ventilation is the preferred means of protection. Use a respirator if general room ventilation is not available or sufficient to eliminate symptoms.		
Respirator Type(s)	None required where adequate ventilation is provided. If airborne concentrations are above the applicable exposure limits, use NIOSH/MSHA approved respiratory protection.		
Eye Protection	No special requirements under normal industrial use.		
Skin Protection	Where use can result in skin contact, practice good personal hygiene and wear impervious gloves. Wash hands and other exposed areas with mild soap and water before eating, drinking, and when		
	leaving work.		
Gloves	Neoprene, Nitrile		

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties		
Physical State	Liquid	
Color	Amber	
Odor	Mild	
Odor threshold	Not determined	
рН	Not determined	
Freezing point	-20	
Boiling Point	Not determined	
Flash Point (°C)	199	
Flash Point Method	COC	
Evaporation Rate	Not determined	
Upper Flammable/Explosive	= 10	
Limit, % in air		
Lower Flammable/Explosive	= 1	
Limit, % in air		
Flammability (solid, gas)	Not applicable	
Vapor pressure	< 0.20	
Vapor Density	Not determined	
Relative Density	0.87	
Solubility in Water	Negligible; 0-1%	
Octanol/Water Partition	Not determined	
Coefficient		
Autoignition Temperature	Not determined	
Decomposition Temperature	Not determined	
Viscosity(°C)	39.65	
9.2. Other information		
Volatiles, % by weight	0.000000	

SECTION 10: Stability and reactivity

10.1. Reactivity	No data available.
10.2. Chemical stability	Stable under normal conditions.
10.3. Possibility of hazardous	Hazardous polymerization will not occur.

SECTION 10: Stability and reactivity

reactions	
10.4. Conditions to avoid	Temperatures above the high flash point of this combustible material in combination with sparks,
	open flames, or other sources of ignition. Moisture (will lead to product performance degradation).
10.5. Incompatible materials	Strong oxidizing agents
10.6. Hazardous	Carbon monoxide, Smoke, Carbon monoxide, sulfur oxides, aldehydes, and other petroleum
decomposition products	decomposition products in the case of incomplete combustion. Oxides of nitrogen, phosphorus,
	calcium, copper, magnesium, sodium, and hydrogen sulfide may also be present.

SECTION 11: Toxicological information

11.1. Information on toxicolog	ical effects
Ingestion Toxicity	No hazard in normal industrial use. Estimated to be > 5.0 g/kg.
Skin Contact	This material is likely to be slightly irritating to skin based on animal data. Can cause minor skin
	irritation, defatting, and dermatitis.
Absorption	Likely to be practically non-toxic based on animal data.
Inhalation Toxicity	No hazard in normal industrial use. Likely to be practically non-toxic based on animal data.
Eye Contact	This material is likely to be non-irritating to eyes based on animal data. No hazard in normal industrial use.
Sensitization	Non-hazardous under Respiratory Sensitization category.No data available to indicate product or components may be a skin sensitizer.
Mutagenicity	No data available to indicate product or any components present at greater than 0.1% is mutagenic or genotoxic.
Carcinogenicity	Not expected to cause cancer. This product meets the IP-346 criteria of <3% PAH's and is not considered a carcinogen by the International Agency for Research on Cancer.
Reproductive and	No data available to indicate product or any components present at greater than 0.1% may cause
Developmental Toxicity	birth defects.
Specific target organ	Non-hazardous under Specific Target Organ Systemic Toxicity Single Exposure category.
toxicity-Single exposure	
Specific target organ	Non-hazardous under Specific Target Organ Systemic Toxicity Repeated Exposure category.
toxicity-Repeated exposure	
Aspiration toxicity	Non-hazardous under Aspiration category.
Other information	No data available.

Agents Classified by IARC Monographs

Benzene	IARC Group 1
Not applicable	IARC Group 2A
Vinyl acetate	IARC Group 2B

National Toxicity Program (NTP) Status

Benzene	Known Human Carcinogen
Not applicable	Reasonably Anticipated To Be A Human Carcinogen

SECTION 12: Ecological information

12.1. Toxicity	
Acute Aquatic ecotoxicity:	Non-hazardous under Aquatic Acute Environment category.
Chronic Aquatic ecotoxicity:	Non-hazardous under Aquatic Chronic Environment category.
12.2. Persistence and degradat	pility
Biodegrades slowly.	
12.3. Bioaccumulative potentia	d
Bioconcentration may occur.	
12.4. Mobility in soil	
This material is expected to have	e essentially no mobility in soil. It absorbs strongly to most soil types.
12.5. Results of PBT and vPvB	assessment
No data available.	
12.6. Other adverse effects	

SECTION 12: Ecological information

Not determined

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal Methods

Dispose of according to Federal, State, Local, or Provincial regulations. Recycle used oil.

Waste Disposal Code(s)

Waste Description for Spent Product

Spent or discarded material is not expected to be a hazardous waste.

Contaminated packaging:

Recycle containers whenever possible.

SECTION 14: Transport information

DOT Basic Not classified as hazardous for transport (DOT, TDG, IMO/IMDG, IATA/ICAO). **Description**

SECTION 15: Regulatory information

	J				
<u>Chemical Inventories</u>				-	
TSCA Status	All components of this material are on the US TSCA Inventory or are exempt.				
U.S. State Restrictions:	Not applicable				
WHMIS:	Uncontrolled pr	roduct according to	WHMIS classifica	tion criteria.	
Chemical Name	Regul	ation	CAS #		%
None.	CERC	LA			
Diphenylamine	SARA	. 313	122-39-4		0.001-0.01
Vinyl acetate	SARA	. 313	108-05-4		0.001-0.01
Benzene	SARA	313	71-43-2		<10ppm
None.	SARA	EHS			
None.	TSCA	12b			
U.S. State Regulations					
Chemical Name	Regul	ation	CAS #		%
None.		rnia Prop 65-			
	Cance	-			
None.	Califo	rnia Prop 65- Dev.			
	Toxici	-			
None.		rnia Prop 65-			
	Repro				
None.		rnia Prop 65-			
		d-male			
None.	-	chusetts RTK List			
None.	New J	ersey RTK List			
None.		ylvania RTK List			
None.		Island RTK List			
None.	Minne	sota Hazardous			
	Substa	ince List			
	HMIS Rating	gs:	NFPA Ratings:		
	Health:	1	Health:	1	
	Fire:	1	Fire:	1	

	Reactivity: PPE:	0 B	Reactivity:	0		
KEY:	0 - Least	1 - Slight	2 - Moderate	3 - High	4 – Extreme	

SECTION 16: Other information

SECTION 16: Other	mormation
Revision Date	10/29/2015 11:19:57 AM
Supersedes:	10/21/2015 1:39:12 PM
References	ACGIH: American Conference of Governmental Industrial Hygienists
	AIHA: American Industrial Hygiene Association
	CFR: Code of Federal Regulations
	DOT: United States Department of Transportation
	GHS: Globally Harmonized System of Classification and Labeling of Chemicals
	HMIS: Hazardous Materials Identification System
	IARC: International Agency for Research on Cancer
	IATA: International Air Transportation Association
	IDLH: Immediately Dangerous to Life or Health
	IMDG: International Maritime Dangerous Goods
	NFPA: National Fire Protection Association
	NIOSH: National Institute for Occupational Safety and Health
	NTP: National Toxicology Program
	OSHA: Occupational Safety and Health Administration
	PEL: Permissible Exposure Limit
	RTK: Right-to-Know
	SARA: Superfund Amendments and Reauthorization Act
	STEL: Short-term Exposure Limit
	TLV: Threshold limit value
	TSCA: Toxic Substances Control Act
	TWA: Time weighted average
	UN: United Nations
	WHMIS: Workplace Hazardous Materials Information System
Disclaimer	THIS PRODUCT MATERIAL SAFETY DATA SHEET PROVIDES HEALTH AND SAFETY
	INFORMATION. THE PRODUCT SHOULD BE USED IN APPLICATIONS CONSISTENT WITH
	THIS PRODUCT LITERATURE. FOR ANY OTHER USES, EXPOSURES SHOULD BE
	EVALUATED SO THAT APPROPRIATE HANDLING PRACTICES AND TRAINING
	PROGRAMS CAN BE ESTABLISHED TO ENSURE SAFE WORKPLACE OPERATIONS.
	THIS MATERIAL SAFETY DATA SHEET IS PROVIDED IN GOOD FAITH AND MEETS THE
	REQUIREMENTS OF THE HAZARDOUS COMMUNICATION PROVISIONS OF SARA TITLE
	III AND 29 CFR 1910.1200(g) OF THE OSHA REGULATIONS. THE ABOVE INFORMATION IS
	BASED ON REVIEW OF AVAILABLE INFORMATION SINCLAIR BELIEVES IS RELIABLE
	AND IS SUPPLIED FOR INFORMATIONAL PURPOSES ONLY. SINCLAIR DOES NOT
	GUARANTEE ITS COMPLETENESS OR ACCURACY.
	SINCE CONDITIONS OF USE ARE OUTSIDE THE CONTROL OF SINCLAIR, SINCLAIR
	DISCLAIMS ALL WARRANTIES, EXPRESS OR IMPLIED, AND ANY LIABILITY FOR
	DAMAGE OR INJURY WHICH RESULTS FROM THE USE OF THE ABOVE DATA. NOTHING
	HEREIN IS INTENDED TO PERMIT INFRINGEMENT OF VALID PATENTS AND LICENSES.