

#### SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier	
Product Name:	SL Premium RO Trb ISO220 BU
Product Code:	SIHYD022 (SINCLAIR CODE: 554-001)

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended use:Hydraulic OilRecommendedNot applicablerestrictions:Not applicable

#### **1.3.** Details of the supplier of the safety data sheet

Manufacturer:	Warren Distribution, Inc.		
	727 S. 13th Street		
	Omaha, NE 68102		
Information Phone:	+01 (800) 825-1235	+01 (402) 341-9397	
E-mail:	sds@wd-wpp.com		

# 1.4. Emergency telephone numberEmergency phone number:CHEMTREC: +1 (800) 424-9300International: +01 (703) 527-3887

#### **SECTION 2: Hazards identification**

**2.1. Classification of the substance or mixture** Not classified under GHS

2.2. Label elements

#### 2.3. Other hazards

Hazards not otherwise Avoid prolonged or repeated skin contact with used fluid. classified:

#### Unknown acute toxicity (GHS-US)

SECTION 3: Composition/information on ingredients				
Chemical Name	%	CAS #	GHS Classification	
Residual oils (petroleum), solvent dewaxed	30 - 60	64742-62-7	Acute Tox. 4; H332	
			Acute Tox. 3; H331	
~		GER 1010 1000 (11		

Components not listed are not physical or health hazards as defined in 29 CFR 1910.1200 (Hazard Communication Standard).

SECTION 4: First aid measures			
4.1. Description of first aid measures			
Inhalation	Remove to fresh air. If breathing is difficult, have a trained individual administer oxygen.		
Eyes	None expected to be needed, however, use an eye wash to remove a chemical from your eye regardless of the level of hazard.		
Skin Contact	Wash with soap and water. Get medical attention if irritation develops or persists. Seek medical advice if symptoms persist.		
Ingestion	Minimal risk of harm if swallowed. Do not induce vomiting. Seek medical attention immediately. Provide medical care provider with this SDS.		
4.2. Most important symptoms and effects, both acute and delayed			
Symptoms	Not determined		
4.3. Indication of any immediate medical attention and special treatment needed			

#### **SECTION 4: First aid measures**

Note to Doctor

Aspiration during swallowing or vomiting may severely damage the lungs. If evacuation of stomach contents is necessary, use method least likely to cause aspiration.

SECTION 5: Firefighting measures				
5.1. Extinguishing media				
Suitable and Unsuitable	Use alcohol resistant foam, carbon dioxide, or dry chemical when fighting fires. Water or foam may			
Extinguishing Media:	cause frothing if liquid is burning but it still may be a useful extinguishing agent if carefully applied			
	to the surface of the fire. Do not direct a stream of water into the hot burning liquid.			
5.2. Special hazards arising fr	om the substance or mixture			
Fire and/or Explosion	Material may be ignited only if preheated to temperatures above the high flash point, for example in			
Hazards	a fire.			
5.3. Advice for firefighters				
Fire Fighting Methods and	Do not enter fire area without proper protection including self- contained breathing apparatus and			
Protection	full protective equipment. Use methods for the surrounding fire.			
Hazardous Combustion	Carbon monoxide, Smoke			
Products				

#### **SECTION 6: Accidental release measures**

#### 6.1. Personal precautions, protective equipment and emergency procedures

**General Measures:** No health affects expected from the clean up of this material if contact can be avoided. Follow personal protective equipment recommendations found in Section 8 of this SDS.

#### 6.2. Environmental precautions

Do not flush to sewer.

Avoid runoff into storm sewers and ditches that lead to waterways.

Remove from water surface by skimming or with suitable absorbents. Do not use dispersants.

#### 6.3. Methods and material for containment and cleaning up

**Methods for cleaning up:** Prevent the spread of any spill to minimize harm to human health and the environment if safe to do so. Wear complete and proper personal protective equipment following the recommendation of Section 8 at a minimum. Dike with suitable absorbent material like granulated clay. Dispose of according to Federal, State, Local, or Provincial regulations. Used fluid should be disposed of at a recycling center.

#### 6.4. Reference to other sections

Follow all protective equipment recommendations provided in Section 8.

#### **SECTION 7: Handling and storage**

#### 7.1. Precautions for safe handling

Mildly irritating material. Avoid unnecessary exposure.

#### 7.2. Conditions for safe storage, including any incompatibilities

Store in a cool dry place. Isolate from incompatible materials.

#### **Incompatible materials**

See Section 10. **7.3. Specific end use(s)** Hydraulic Oil

#### **SECTION 8: Exposure controls/personal protection**

8.1. Control parameters			
Chemical Name			
Oil mist, mineral			
Oil mist, mineral			
Oil mist, mineral			
None.			
None.			

Occupational Exposure Limits OSHA PEL ACGIH TLV-TWA ACGIH STEL IDLH OSHA PEL-Skin Notation Value 5 mg/m3 5 mg/m3 10 mg/m3

8.2. Exposure controls Engineering Measures

Use local exhaust ventilation or other engineering controls to minimize exposures and maintain

8.2. Exposure controls	
-	operator comfort.
<b>Respiratory Protection</b>	Respiratory protection may be required to avoid overexposure when handling this product. General or local exhaust ventilation is the preferred means of protection. Use a respirator if general room ventilation is not available or sufficient to eliminate symptoms.
<b>Respirator Type(s)</b>	None required where adequate ventilation is provided. If airborne concentrations are above the applicable exposure limits, use NIOSH/MSHA approved respiratory protection.
Eye Protection	No special requirements under normal industrial use.
Skin Protection	Where use can result in skin contact, practice good personal hygiene and wear impervious gloves. Wash hands and other exposed areas with mild soap and water before eating, drinking, and when leaving work.
Gloves	Neoprene, Nitrile

#### **SECTION 9: Physical and chemical properties**

9.1. Information on basic physical and chemical properties			
Physical State	Liquid		
Color	Amber		
Odor	Mild		
Odor threshold	Not determined		
pH	Not determined		
Freezing point	Not determined		
Boiling Point	Not determined		
Flash Point (°C)	213		
Flash Point Method	COC		
Evaporation Rate	Not determined		
Upper Flammable/Explosive	Not established		
Limit, % in air			
Lower Flammable/Explosive	Not established		
Limit, % in air			
Flammability (solid, gas)	Not applicable		
Vapor pressure	<0.20		
Vapor Density	Not determined		
Relative Density	0.89		
Solubility in Water	Negligible; 0-1%		
<b>Octanol/Water Partition</b>	Not determined		
Coefficient			
Autoignition Temperature	Not determined		
<b>Decomposition Temperature</b>	Not determined		
Viscosity(°C)	223.3		
9.2. Other information			
Volatiles, % by weight	0.000000		

#### SECTION 10: Stability and reactivity

10.1. Reactivity	No data available.
10.2. Chemical stability	Stable under normal conditions.
10.3. Possibility of hazardous	Hazardous polymerization will not occur.
reactions	
10.4. Conditions to avoid	Temperatures above the high flash point of this combustible material in combination with sparks, open flames, or other sources of ignition. Moisture (will lead to product performance degradation).
10.5. Incompatible materials	Strong oxidizing agents
10.6. Hazardous decomposition products	Carbon monoxide, Smoke

#### **SECTION 11: Toxicological information**

11.1. Information on toxicological effects

#### **SECTION 11: Toxicological information**

Ingestion Toxicity	No hazard in normal industrial use. Estimated to be $> 5.0$ g/kg.
Skin Contact	Likely to be non-irritating to skin based on animal data. Can cause minor skin irritation, defatting,
	and dermatitis.
Absorption	Likely to be practically non-toxic based on animal data.
Inhalation Toxicity	No hazard in normal industrial use. Likely to be practically non-toxic based on animal data.
Eye Contact	This material is likely to be non-irritating to eyes based on animal data. No hazard in normal
	industrial use.
Sensitization	Non-hazardous under Respiratory Sensitization category.No data available to indicate product or
	components may be a skin sensitizer.
Mutagenicity	No data available to indicate product or any components present at greater than 0.1% is mutagenic or genotoxic.
Carcinogenicity	Not expected to cause cancer. This product meets the IP-346 criteria of <3% PAH's and is not
	considered a carcinogen by the International Agency for Research on Cancer.
Reproductive and	No data available to indicate product or any components present at greater than 0.1% may cause
<b>Developmental Toxicity</b>	birth defects.
Specific target organ	Non-hazardous under Specific Target Organ Systemic Toxicity Single Exposure category.
toxicity-Single exposure	
Specific target organ	Non-hazardous under Specific Target Organ Systemic Toxicity Repeated Exposure category.
toxicity-Repeated exposure	
Aspiration toxicity	Non-hazardous under Aspiration category.
Other information	No data available.

#### Agents Classified by IARC Monographs

Not applicable	IARC Group 1
Not applicable	IARC Group 2A
Not applicable	IARC Group 2B

#### National Toxicity Program (NTP) Status

Not applicableKnown Human CarcinogenNot applicableReasonably Anticipated To Be A Human Carcinogen

#### **SECTION 12: Ecological information**

# 12.1. Toxicity Acute Aquatic ecotoxicity: Non-hazardous under Aquatic Acute Environment category. Chronic Aquatic ecotoxicity: Non-hazardous under Aquatic Chronic Environment category. 12.2. Persistence and degradability Biodegrades slowly. 12.3. Bioaccumulative potential Bioconcentration may occur. 12.4. Mobility in soil This material is expected to have essentially no mobility in soil. It absorbs strongly to most soil types. 12.5. Results of PBT and vPvB assessment No data available. 12.6. Other adverse effects Not determined

#### **SECTION 13: Disposal considerations**

#### 13.1. Waste treatment methods

Disposal Methods Dispose of according to Federal, State, Local, or Provincial regulations. Recycle used oil. Waste Disposal Code(s) Waste Description for Spent Product

Spent or discarded material is non-hazardous according to environmental regulations. **Contaminated packaging:** 

#### **SECTION 13: Disposal considerations**

Recycle containers whenever possible. Recycle containers whenever possible. Recycle containers whenever possible.

#### **SECTION 14: Transport information**

**DOT Basic** Not classified as hazardous for transport (DOT, TDG, IMO/IMDG, IATA/ICAO). **Description** 

#### **SECTION 15: Regulatory information**

<u>Chemical Inventories</u> TSCA Status U.S. State Restrictions: WHMIS:	All components of this material are on the US TSCA Inventory or are exempt. Not applicable Uncontrolled product according to WHMIS classification criteria.			
Chemical Name None.	<b>Regulation</b> CERCLA	CAS #		%
Toluene	SARA 313	108-88-3		<10ppm
None.	SARA EHS TSCA 12b			
U.S. State Regulations	<b>D</b>			<b>A</b> (
Chemical Name None.	<b>Regulation</b> California Prop 65- Cancer	CAS #		%
Toluene	California Prop 65- De Toxicity	ev. 108-88-3		<10ppm
None.	California Prop 65- Reprod -fem			
None.	California Prop 65- Reprod-male			
None.	Massachusetts RTK Li	st		
None.	New Jersey RTK List			
None.	Pennsylvania RTK Lis			
None.	Rhode Island RTK Lis	t		
None.	Minnesota Hazardous			
	Substance List			
	<b>HMIS Ratings:</b>	NFPA Ratings:		
	Health: 1	Health:	1	
	Fire: 1	Fire:	1	
	Reactivity: 0 PPE: B	Reactivity:	0	
KEY:	0 - Least 1 - Slight	2 - Moderate	3 - High	4 – Extreme

#### **SECTION 16: Other information**

<b>Revision Date</b>	10/23/2015 10:37:03 AM
Supersedes:	None
References	ACGIH: American Conference of Governmental Industrial Hygienists
	AIHA: American Industrial Hygiene Association
	CFR: Code of Federal Regulations
	DOT: United States Department of Transportation
	GHS: Globally Harmonized System of Classification and Labeling of Chemicals
	HMIS: Hazardous Materials Identification System

#### **SECTION 16: Other information** IARC: International Agency for Research on Cancer IATA: International Air Transportation Association IDLH: Immediately Dangerous to Life or Health IMDG: International Maritime Dangerous Goods NFPA: National Fire Protection Association NIOSH: National Institute for Occupational Safety and Health NTP: National Toxicology Program OSHA: Occupational Safety and Health Administration PEL: Permissible Exposure Limit RTK: Right-to-Know SARA: Superfund Amendments and Reauthorization Act STEL: Short-term Exposure Limit TLV: Threshold limit value TSCA: Toxic Substances Control Act TWA: Time weighted average UN: United Nations WHMIS: Workplace Hazardous Materials Information System THIS PRODUCT MATERIAL SAFETY DATA SHEET PROVIDES HEALTH AND SAFETY Disclaimer INFORMATION. THE PRODUCT SHOULD BE USED IN APPLICATIONS CONSISTENT WITH THIS PRODUCT LITERATURE. FOR ANY OTHER USES. EXPOSURES SHOULD BE EVALUATED SO THAT APPROPRIATE HANDLING PRACTICES AND TRAINING PROGRAMS CAN BE ESTABLISHED TO ENSURE SAFE WORKPLACE OPERATIONS. THIS MATERIAL SAFETY DATA SHEET IS PROVIDED IN GOOD FAITH AND MEETS THE REQUIREMENTS OF THE HAZARDOUS COMMUNICATION PROVISIONS OF SARA TITLE III AND 29 CFR 1910.1200(g) OF THE OSHA REGULATIONS. THE ABOVE INFORMATION IS BASED ON REVIEW OF AVAILABLE INFORMATION SINCLAIR BELIEVES IS RELIABLE AND IS SUPPLIED FOR INFORMATIONAL PURPOSES ONLY. SINCLAIR DOES NOT GUARANTEE ITS COMPLETENESS OR ACCURACY. SINCE CONDITIONS OF USE ARE OUTSIDE THE CONTROL OF SINCLAIR, SINCLAIR DISCLAIMS ALL WARRANTIES. EXPRESS OR IMPLIED. AND ANY LIABILITY FOR DAMAGE OR INJURY WHICH RESULTS FROM THE USE OF THE ABOVE DATA. NOTHING HEREIN IS INTENDED TO PERMIT INFRINGEMENT OF VALID PATENTS AND LICENSES.