

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier	
Product Name:	Sinclair Rock Drill 68
Product Code:	SIHYD048 (SINCLAIR CODE: 857-001)

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended use:Gear OilRecommendedNot applicablerestrictions:Image: Contract of the second second

1.3 Details of the supplier of the safety data sheet

1.5. Details of the supplier of the safety data sheet			
Manufacturer:	Warren Distribution, Inc.		
	727 S. 13th Street		
	Omaha, NE 68102		
Information Phone:	+01 (800) 825-1235	+01 (402) 341-9397	
E-mail:	sds@wd-wpp.com		

1.4. Emergency telephone numberEmergency phone number:CHEMTREC: +1 (800) 424-9300International: +01 (703) 527-3887

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture Not classified under GHS

2.2. Label elements

2.3. Other hazards

Hazards not otherwise Avoid prolonged or repeated skin contact with used fluid. classified:

Unknown acute toxicity (GHS-US)

SECTION 3: Composition/information on ingredients Chemical Name % CAS # GHS Classification Components not listed are not physical or health hazards as defined in 29 CFR 1910.1200 (Hazard Communication Standard).

SECTION 4: First aid m	neasures		
4.1. Description of first aid measures			
Inhalation	Remove to fresh air. If breathing is difficult, have a trained individual administer oxygen.		
Eyes	None expected to be needed, however, use an eye wash to remove a chemical from your eye regardless of the level of hazard.		
Skin Contact	Wash with soap and water. Get medical attention if irritation develops or persists. Seek medical advice if symptoms persist.		
Ingestion	Minimal risk of harm if swallowed. Do not induce vomiting. Seek medical attention immediately. Provide medical care provider with this SDS.		
4.2. Most important sympton	ns and effects, both acute and delayed		
Symptoms	Not determined		
4.3. Indication of any immedi	ate medical attention and special treatment needed		
Note to Doctor	Aspiration during swallowing or vomiting may severely damage the lungs. If evacuation of stomach contents is necessary, use method least likely to cause aspiration.		

SECTION 5: Firefighting measures

5.1. Extinguishing media	
Suitable and Unsuitable	Use alcohol resistant foam, carbon dioxide, or dry chemical when fighting fires. Water or foam may
Extinguishing Media:	cause frothing if liquid is burning but it still may be a useful extinguishing agent if carefully applied
	to the surface of the fire. Do not direct a stream of water into the hot burning liquid.
5.2. Special hazards arising from	om the substance or mixture
Fire and/or Explosion	Material may be ignited only if preheated to temperatures above the high flash point, for example in
Hazards	a fire.
5.3. Advice for firefighters	
Fire Fighting Methods and	Do not enter fire area without proper protection including self- contained breathing apparatus and
Protection	full protective equipment. Use methods for the surrounding fire.
Hazardous Combustion	Carbon monoxide, Smoke
Products	

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General Measures: No data available.

6.2. Environmental precautions

Do not flush to sewer.

Avoid runoff into storm sewers and ditches that lead to waterways.

Remove from water surface by skimming or with suitable absorbents. Do not use dispersants.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up: Prevent the spread of any spill to minimize harm to human health and the environment if safe to do so. Wear complete and proper personal protective equipment following the recommendation of Section 8 at a minimum. Dike with suitable absorbent material like granulated clay. Dispose of according to Federal, State, Local, or Provincial regulations. Used fluid should be disposed of at a recycling center.

6.4. Reference to other sections

Follow all protective equipment recommendations provided in Section 8.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

No special handling instructions due to toxicity.

7.2. Conditions for safe storage, including any incompatibilities

Store in a cool dry place. Isolate from incompatible materials.

Incompatible materials See Section 10. 7.3. Specific end use(s) Gear Oil

SECTION 8: Exposure controls/personal protection

8.1. Control parameters		
Chemical Name	Occupational Exposure Limits	Value
Oil mist, mineral	OSHA PEL	5 mg/m3
Oil mist, mineral	ACGIH TLV-TWA	5 mg/m3
Oil mist, mineral	ACGIH STEL	10 mg/m3
None.	IDLH	
None.	OSHA PEL-Skin Notation	
8.2. Exposure controls		
Engineering Measures	Use local exhaust ventilation or other engineering c	ontrols to minimize exposures and maintain
	operator comfort.	
Respiratory Protection	Respiratory protection may be required to avoid over	
	or local exhaust ventilation is the preferred means of	f protection. Use a respirator if general room
	ventilation is not available or sufficient to eliminate	symptoms.

8.2. Exposure controls	
Respirator Type(s)	None required where adequate ventilation is provided. If airborne concentrations are above the
	applicable exposure limits, use NIOSH/MSHA approved respiratory protection.
Eye Protection	No special requirements under normal industrial use.
Skin Protection	Not normally considered a skin hazard. Where use can result in skin contact, practice good personal
	hygiene. Wash hands and other exposed areas with mild soap and water before eating, drinking, and
	when leaving work.
Gloves	Neoprene, Nitrile

SECTION 9: Physical and chemical properties

9.1. Information on basic phys	
Physical State	Liquid
Color	Amber
Odor	Mild
Odor threshold	Not determined
рН	Not determined
Freezing point	-20
Boiling Point	Not determined
Flash Point (°C)	204
Flash Point Method	PMCC
Evaporation Rate	Not determined
Upper Flammable/Explosive	Not established
Limit, % in air	
Lower Flammable/Explosive	Not established
Limit, % in air	
Flammability (solid, gas)	Not applicable
Vapor pressure	<0.20
Vapor Density	Not determined
Relative Density	0.89
Solubility in Water	Insoluble
Octanol/Water Partition	Not determined
Coefficient	
Autoignition Temperature	Not determined
Decomposition Temperature	Not determined
Viscosity(°C)	68
9.2. Other information	
Volatiles, % by weight	0.000000

SECTION 10: Stability and reactivity

······································	
10.1. Reactivity	No data available.
10.2. Chemical stability	Stable under normal conditions.
10.3. Possibility of hazardous	Hazardous polymerization will not occur.
reactions	
10.4. Conditions to avoid	Temperatures above the high flash point of this combustible material in combination with sparks,
	open flames, or other sources of ignition. Moisture (will lead to product performance degradation).
10.5. Incompatible materials	Strong oxidizing agents
10.6. Hazardous	Carbon monoxide, Smoke
decomposition products	

SECTION 11: Toxicological information

11.1. Information on toxicological effects			
Ingestion Toxicity	No hazard in normal industrial use. Estimated to be > 5.0 g/kg.		
Skin Contact	Likely to be non-irritating to skin based on animal data. No hazard in normal industrial use.		
Absorption	Likely to be practically non-toxic based on animal data.		
Inhalation Toxicity	No hazard in normal industrial use. Likely to be practically non-toxic based on animal data.		

SECTION 11: Toxicological information This material is likely to be non-irritating to eyes based on animal data. No hazard in normal **Eye Contact** industrial use. Non-hazardous under Respiratory Sensitization category.No data available to indicate product or Sensitization components may be a skin sensitizer. Mutagenicity No data available to indicate product or any components present at greater than 0.1% is mutagenic or genotoxic. Carcinogenicity Not expected to cause cancer. This product meets the IP-346 criteria of <3% PAH's and is not considered a carcinogen by the International Agency for Research on Cancer. **Reproductive and** No data available to indicate product or any components present at greater than 0.1% may cause **Developmental Toxicity** birth defects. Non-hazardous under Specific Target Organ Systemic Toxicity Single Exposure category. Specific target organ toxicity-Single exposure Specific target organ Non-hazardous under Specific Target Organ Systemic Toxicity Repeated Exposure category. toxicity-Repeated exposure Aspiration toxicity Non-hazardous under Aspiration category. **Other information** No data available.

Agents Classified by IARC Monographs

Not applicable	IARC Group 1
Not applicable	IARC Group 2A
Cumene	IARC Group 2B
ethylbenzene	IARC Group 2B

National Toxicity Program (NTP) Status

Not applicable Cumene Known Human Carcinogen Reasonably Anticipated To Be A Human Carcinogen

SECTION 12: Ecological information

12.1. Toxicity
Acute Aquatic ecotoxicity: Non-hazardous under Aquatic Acute Environment category.
Chronic Aquatic ecotoxicity: Non-hazardous under Aquatic Chronic Environment category.
12.2. Persistence and degradability
Biodegrades slowly.
12.3. Bioaccumulative potential
Bioconcentration is not expected to occur.
12.4. Mobility in soil
This material is expected to have essentially no mobility in soil. It absorbs strongly to most soil types.
12.5. Results of PBT and vPvB assessment
No data available.
12.6. Other adverse effects
Not determined

SECTION 13: Disposal considerations

13.1. Waste treatment methods
Disposal Methods
Dispose of according to Federal, State, Local, or Provincial regulations. Recycle used oil.
Waste Disposal Code(s)
Waste Description for Spent Product
Spent or discarded material is non-hazardous according to environmental regulations.
Contaminated packaging:
Recycle containers whenever possible.
Recycle containers whenever possible.
Recycle containers whenever possible.
Recycle containers whenever possible.

SECTION 14: Transport information

DOT BasicNot classified as hazardous for transport (DOT, TDG, IMO/IMDG, IATA/ICAO).**Description**

SECTION 15: Regulatory information

<u>Chemical Inventories</u> TSCA Status U.S. State Restrictions: WHMIS:	All components of this material are on the US TSCA Inventory or are exempt. Not applicable Uncontrolled product according to WHMIS classification criteria.				
Chemical Name	Regula		CAS #		%
None.	CERC		0		0.001.0.01
1,2,4-Trimethylbenzene	SARA		95-63-6		0.001-0.01
Xylene (mixed isomers)	SARA		1330-20-7		0.001-0.01
Cumene	SARA		98-82-8		0.001-0.01
ethylbenzene Toluene	SARA SARA		100-41-4 108-88-3		0.001- 0.01 <10ppm
None.	SARA		100-00-5		<10ppin
None.	TSCA				
None.	ISCA	120			
U.S. State Regulations					
Chemical Name	Regula	ation	CAS #		%
Cumene		nia Prop 65-	98-82-8		0.001-0.01
	Cancer				
ethylbenzene	Califor	nia Prop 65-	100-41-4		0.001-0.01
	Cancer				
Toluene	Califor	mia Prop 65- Dev.	108-88-3		<10ppm
	Toxici				
None.		mia Prop 65-			
	Reproc				
None.		mia Prop 65-			
	Reproc				
None.		chusetts RTK List			
None.		ersey RTK List			
None.		Ivania RTK List			
None.		Island RTK List			
None.		sota Hazardous			
	Substa	nce List			
	HMIS Rating	18:	NFPA Ratings:		
	Health:	0	Health:	0	
	Fire:	1	Fire:	1	
	Reactivity:	0	Reactivity:	0	
	PPE:	В	2		
KEY:	0 - Least	1 - Slight	2 - Moderate	3 - High	4 – Extreme

SECTION 16: Ot	her information
Revision Date	10/22/2015 8:31:21 AM
Supersedes:	None
References	ACGIH: American Conference of Governmental Industrial Hygienists
	AIHA: American Industrial Hygiene Association
	CFR: Code of Federal Regulations
	DOT: United States Department of Transportation
	GHS: Globally Harmonized System of Classification and Labeling of Chemicals

SECTION 16: Other information HMIS: Hazardous Materials Identification System IARC: International Agency for Research on Cancer IATA: International Air Transportation Association IDLH: Immediately Dangerous to Life or Health IMDG: International Maritime Dangerous Goods NFPA: National Fire Protection Association NIOSH: National Institute for Occupational Safety and Health NTP: National Toxicology Program OSHA: Occupational Safety and Health Administration PEL: Permissible Exposure Limit RTK: Right-to-Know SARA: Superfund Amendments and Reauthorization Act STEL: Short-term Exposure Limit TLV: Threshold limit value TSCA: Toxic Substances Control Act TWA: Time weighted average UN: United Nations WHMIS: Workplace Hazardous Materials Information System Disclaimer THIS PRODUCT MATERIAL SAFETY DATA SHEET PROVIDES HEALTH AND SAFETY INFORMATION. THE PRODUCT SHOULD BE USED IN APPLICATIONS CONSISTENT WITH THIS PRODUCT LITERATURE. FOR ANY OTHER USES, EXPOSURES SHOULD BE EVALUATED SO THAT APPROPRIATE HANDLING PRACTICES AND TRAINING PROGRAMS CAN BE ESTABLISHED TO ENSURE SAFE WORKPLACE OPERATIONS. THIS MATERIAL SAFETY DATA SHEET IS PROVIDED IN GOOD FAITH AND MEETS THE REQUIREMENTS OF THE HAZARDOUS COMMUNICATION PROVISIONS OF SARA TITLE III AND 29 CFR 1910.1200(g) OF THE OSHA REGULATIONS. THE ABOVE INFORMATION IS BASED ON REVIEW OF AVAILABLE INFORMATION SINCLAIR BELIEVES IS RELIABLE AND IS SUPPLIED FOR INFORMATIONAL PURPOSES ONLY. SINCLAIR DOES NOT GUARANTEE ITS COMPLETENESS OR ACCURACY. SINCE CONDITIONS OF USE ARE OUTSIDE THE CONTROL OF SINCLAIR, SINCLAIR DISCLAIMS ALL WARRANTIES, EXPRESS OR IMPLIED, AND ANY LIABILITY FOR DAMAGE OR INJURY WHICH RESULTS FROM THE USE OF THE ABOVE DATA. NOTHING HEREIN IS INTENDED TO PERMIT INFRINGEMENT OF VALID PATENTS AND LICENSES.