

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product Name: SL Waylube 68 BU

**Product Code:** SIHYD057 (SINCLAIR CODE: 558-001)

1.2. Relevant identified uses of the substance or mixture and uses advised against

**Recommended use:** Hydraulic Oil **Recommended** Not applicable

restrictions:

1.3. Details of the supplier of the safety data sheet

**Manufacturer:** Warren Distribution, Inc.

727 S. 13th Street Omaha, NE 68102

**Information Phone:** +01 (800) 825-1235 +01 (402) 341-9397

**E-mail:** sds@wd-wpp.com

1.4. Emergency telephone number

**Emergency phone number:** CHEMTREC: +1 (800) 424-9300

International: +01 (703) 527-3887

### **SECTION 2: Hazards identification**

#### 2.1. Classification of the substance or mixture

Not classified under GHS

#### 2.2. Label elements

2.3. Other hazards

**Hazards not otherwise** Avoid prolonged or repeated skin contact with used fluid.

classified:

**Unknown acute toxicity (GHS-US)** 

#### **SECTION 3: Composition/information on ingredients**

Chemical Name % CAS # GHS Classification

Components not listed are not physical or health hazards as defined in 29 CFR 1910.1200 (Hazard Communication Standard).

#### **SECTION 4: First aid measures**

4.1. Description of first aid measures

**Inhalation** Remove to fresh air. If breathing is difficult, have a trained individual administer oxygen. **Eves** None expected to be needed, however, use an eye wash to remove a chemical from your eye

regardless of the level of hazard.

**Skin Contact** Wash with soap and water. Get medical attention if irritation develops or persists. Seek medical

advice if symptoms persist.

**Ingestion** Minimal risk of harm if swallowed. Do not induce vomiting. Seek medical attention immediately.

Provide medical care provider with this SDS.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms Not determined

4.3. Indication of any immediate medical attention and special treatment needed

**Note to Doctor** Aspiration during swallowing or vomiting may severely damage the lungs. If evacuation of stomach

contents is necessary, use method least likely to cause aspiration.

SL Waylube 68 BU Page 1 of 6

### **SECTION 5: Firefighting measures**

5.1. Extinguishing media

Suitable and Unsuitable
Use alcohol resistant foam, carbon dioxide, or dry chemical when fighting fires. Water or foam may cause frothing if liquid is burning but it still may be a useful extinguishing agent if carefully applied

to the surface of the fire. Do not direct a stream of water into the hot burning liquid.

5.2. Special hazards arising from the substance or mixture

Fire and/or Explosion Material may be ignited only if preheated to temperatures above the high flash point, for example in

**Hazards** a fire.

**5.3.** Advice for firefighters

Fire Fighting Methods and Do not enter fire area without proper protection including self- contained breathing apparatus and

**Protection** full protective equipment. Use methods for the surrounding fire.

**Hazardous Combustion** Carbon monoxide, Smoke

**Products** 

#### **SECTION 6: Accidental release measures**

### 6.1. Personal precautions, protective equipment and emergency procedures

General Measures: No data available.

**6.2.** Environmental precautions

Do not flush to sewer.

Avoid runoff into storm sewers and ditches that lead to waterways.

Remove from water surface by skimming or with suitable absorbents. Do not use dispersants.

# 6.3. Methods and material for containment and cleaning up

**Methods for cleaning up:** Prevent the spread of any spill to minimize harm to human health and the environment if safe to do so. Wear complete and proper personal protective equipment following the recommendation of Section 8 at a minimum. Dike with suitable absorbent material like granulated clay. Dispose of according to Federal, State, Local, or Provincial regulations. Used fluid should be disposed of at a recycling center.

### 6.4. Reference to other sections

Follow all protective equipment recommendations provided in Section 8.

# **SECTION 7: Handling and storage**

#### 7.1. Precautions for safe handling

No special handling instructions due to toxicity.

#### 7.2. Conditions for safe storage, including any incompatibilities

Store in a cool dry place. Isolate from incompatible materials.

**Incompatible materials** 

See Section 10.

7.3. Specific end use(s)

Hydraulic Oil

# **SECTION 8: Exposure controls/personal protection**

8.1. Control parameters

Chemical NameOccupational Exposure LimitsValueOil mist, mineralOSHA PEL5 mg/m3Oil mist, mineralACGIH TLV-TWA5 mg/m3Oil mist, mineralACGIH STEL10 mg/m3

None. IDLH

None. OSHA PEL-Skin Notation

**8.2.** Exposure controls

**Engineering Measures**Use local exhaust ventilation or other engineering controls to minimize exposures and maintain

operator comfort.

**Respiratory Protection** Respiratory protection may be required to avoid overexposure when handling this product. General

or local exhaust ventilation is the preferred means of protection. Use a respirator if general room

ventilation is not available or sufficient to eliminate symptoms.

SL Waylube 68 BU Page 2 of 6

8.2. Exposure controls

**Respirator Type(s)**None required where adequate ventilation is provided. If airborne concentrations are above the

applicable exposure limits, use NIOSH/MSHA approved respiratory protection.

**Eye Protection** No special requirements under normal industrial use.

**Skin Protection** Not normally considered a skin hazard. Where use can result in skin contact, practice good personal

hygiene. Wash hands and other exposed areas with mild soap and water before eating, drinking, and

when leaving work.

Gloves Neoprene, Nitrile

### **SECTION 9: Physical and chemical properties**

9.1. Information on basic physical and chemical properties

Physical StateLiquidColorAmberOdorMild

Odor threshold Not determined PH Not determined

Freezing point -20

**Boiling Point** Not determined

Flash Point (°C) 207 Flash Point Method COC

**Evaporation Rate** Not determined **Upper Flammable/Explosive** Not established

Limit, % in air

Lower Flammable/Explosive Not established

Limit, % in air

Flammability (solid, gas) Not applicable

Vapor pressure <0.20

Vapor Density Not determined

**Relative Density** 0.87

**Solubility in Water** Negligible; 0-1% **Octanol/Water Partition** Not determined

Coefficient

**Autoignition Temperature** Not determined **Decomposition Temperature** Not determined

 $Viscosity(^{\circ}C)$  67.86

9.2. Other information

Volatiles, % by weight 0.000000

#### **SECTION 10: Stability and reactivity**

**10.1. Reactivity** No data available.

**10.2. Chemical stability** Stable under normal conditions.

**10.3. Possibility of hazardous** Hazardous polymerization will not occur.

reactions

**10.4. Conditions to avoid** Temperatures above the high flash point of this combustible material in combination with sparks,

open flames, or other sources of ignition. Moisture (will lead to product performance degradation).

**10.5. Incompatible materials** Strong oxidizing agents

**10.6. Hazardous** Carbon monoxide, Smoke

decomposition products

### **SECTION 11: Toxicological information**

11.1. Information on toxicological effects

**Ingestion Toxicity** Although this product has a low order of acute oral toxicity, aspiration of minute amounts into the

lungs during ingestion or vomiting may cause mild to severe pulmonary injury and possibly

death. Estimated to be 2.0 - 5.0 g/kg.

**Skin Contact** Likely to be non-irritating to skin based on animal data. No hazard in normal industrial use.

SL Waylube 68 BU Page 3 of 6

**SECTION 11: Toxicological information** 

Absorption Likely to be practically non-toxic based on animal data.

**Inhalation Toxicity** No hazard in normal industrial use. Likely to be practically non-toxic based on animal data. **Eye Contact** 

This material is likely to be non-irritating to eyes based on animal data. No hazard in normal

industrial use.

Sensitization Non-hazardous under Respiratory Sensitization category. No data available to indicate product or

components may be a skin sensitizer.

Mutagenicity No data available to indicate product or any components present at greater than 0.1% is mutagenic

or genotoxic.

Carcinogenicity Not expected to cause cancer. This product meets the IP-346 criteria of <3% PAH's and is not

considered a carcinogen by the International Agency for Research on Cancer.

No data available to indicate product or any components present at greater than 0.1% may cause Reproductive and

birth defects. **Developmental Toxicity** 

Specific target organ Non-hazardous under Specific Target Organ Systemic Toxicity Single Exposure category.

toxicity-Single exposure

Specific target organ toxicity-Repeated exposure Non-hazardous under Specific Target Organ Systemic Toxicity Repeated Exposure category.

**Aspiration toxicity** Non-hazardous under Aspiration category.

No data available. Other information

#### **Agents Classified by IARC Monographs**

Not applicable IARC Group 1 Not applicable IARC Group 2A Not applicable IARC Group 2B

### National Toxicity Program (NTP) Status

Not applicable Known Human Carcinogen

Not applicable Reasonably Anticipated To Be A Human Carcinogen

### **SECTION 12: Ecological information**

12.1. Toxicity

**Acute Aquatic ecotoxicity:** Non-hazardous under Aquatic Acute Environment category. **Chronic Aquatic ecotoxicity:** Non-hazardous under Aquatic Chronic Environment category.

12.2. Persistence and degradability

Biodegrades slowly.

## 12.3. Bioaccumulative potential

Bioconcentration may occur.

#### 12.4. Mobility in soil

This material is expected to have essentially no mobility in soil. It absorbs strongly to most soil types.

#### 12.5. Results of PBT and vPvB assessment

No data available.

#### 12.6. Other adverse effects

Not determined

### **SECTION 13: Disposal considerations**

#### 13.1. Waste treatment methods

#### **Disposal Methods**

Dispose of according to Federal, State, Local, or Provincial regulations. Recycle used oil.

Waste Disposal Code(s)

### **Waste Description for Spent Product**

Spent or discarded material is non-hazardous according to environmental regulations.

### Contaminated packaging:

Recycle containers whenever possible.

Recycle containers whenever possible.

Recycle containers whenever possible.

SL Waylube 68 BU Page 4 of 6

### **SECTION 14: Transport information**

**DOT Basic** Not classified as hazardous for transport (DOT, TDG, IMO/IMDG, IATA/ICAO).

**Description** 

## **SECTION 15: Regulatory information**

**Chemical Inventories** 

**TSCA Status** All components of this material are on the US TSCA Inventory or are exempt.

**U.S. State Restrictions:** Not applicable

WHMIS: Uncontrolled product according to WHMIS classification criteria.

Chemical Name Regulation CAS # %

None. CERCLA
None. SARA 313
None. SARA EHS
None. TSCA 12b

**U.S. State Regulations** 

Chemical Name Regulation CAS # %

None. California Prop 65-

Cancer

None. California Prop 65- Dev.

**Toxicity** 

None. California Prop 65-

Reprod -fem

None. California Prop 65-

Reprod-male

None. Massachusetts RTK List
None. New Jersey RTK List
None. Pennsylvania RTK List
None. Rhode Island RTK List
None. Minnesota Hazardous

Substance List

HMIS Ratings:Health:0Health:0Fire:1Fire:1

Reactivity: 0 PPE: B

KEY: 0 - Least 1 - Slight 2 - Moderate 3 - High 4 - Extreme

Reactivity:

0

### **SECTION 16: Other information**

**Revision Date** 10/21/2015 2:17:16 PM

Supersedes: None

References ACGIH: American Conference of Governmental Industrial Hygienists

AIHA: American Industrial Hygiene Association

CFR: Code of Federal Regulations

DOT: United States Department of Transportation

GHS: Globally Harmonized System of Classification and Labeling of Chemicals

HMIS: Hazardous Materials Identification System IARC: International Agency for Research on Cancer IATA: International Air Transportation Association IDLH: Immediately Dangerous to Life or Health IMDG: International Maritime Dangerous Goods

SL Waylube 68 BU Page 5 of 6

# **SECTION 16: Other information**

NFPA: National Fire Protection Association

NIOSH: National Institute for Occupational Safety and Health

NTP: National Toxicology Program

OSHA: Occupational Safety and Health Administration

PEL: Permissible Exposure Limit

RTK: Right-to-Know

SARA: Superfund Amendments and Reauthorization Act

STEL: Short-term Exposure Limit

TLV: Threshold limit value

TSCA: Toxic Substances Control Act

TWA: Time weighted average

**UN: United Nations** 

WHMIS: Workplace Hazardous Materials Information System

THIS PRODUCT MATERIAL SAFETY DATA SHEET PROVIDES HEALTH AND SAFETY INFORMATION. THE PRODUCT SHOULD BE USED IN APPLICATIONS CONSISTENT WITH THIS PRODUCT LITERATURE. FOR ANY OTHER USES, EXPOSURES SHOULD BE EVALUATED SO THAT APPROPRIATE HANDLING PRACTICES AND TRAINING PROGRAMS CAN BE ESTABLISHED TO ENSURE SAFE WORKPLACE OPERATIONS.

THIS MATERIAL SAFETY DATA SHEET IS PROVIDED IN GOOD FAITH AND MEETS THE REQUIREMENTS OF THE HAZARDOUS COMMUNICATION PROVISIONS OF SARA TITLE III AND 29 CFR 1910.1200(g) OF THE OSHA REGULATIONS. THE ABOVE INFORMATION IS BASED ON REVIEW OF AVAILABLE INFORMATION SINCLAIR BELIEVES IS RELIABLE AND IS SUPPLIED FOR INFORMATIONAL PURPOSES ONLY. SINCLAIR DOES NOT GUARANTEE ITS COMPLETENESS OR ACCURACY.

SINCE CONDITIONS OF USE ARE OUTSIDE THE CONTROL OF SINCLAIR, SINCLAIR DISCLAIMS ALL WARRANTIES, EXPRESS OR IMPLIED, AND ANY LIABILITY FOR DAMAGE OR INJURY WHICH RESULTS FROM THE USE OF THE ABOVE DATA. NOTHING HEREIN IS INTENDED TO PERMIT INFRINGEMENT OF VALID PATENTS AND LICENSES.

Disclaimer