

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier	
Product Name:	Sinclair Low Ash SAE 30
Product Code:	SIL23055 (SINCLAIR CODE: 850-003)

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended use:Motor OilRecommendedNot applicablerestrictions:Not applicable

1.3. Details of the supplier of the safety data sheet

no. Details of the supplier of the survey data sheet		
Manufacturer:	Warren Distribution, In	c.
	727 S. 13th Street	
	Omaha, NE 68102	
Information Phone:	+01 (800) 825-1235	+01 (402) 341-9397
E-mail:	sds@wd-wpp.com	

1.4. Emergency telephone numberEmergency phone number:CHEMTREC: +1 (800) 424-9300International: +01 (703) 527-3887

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture Not classified under GHS

2.2. Label elements

2.3. Other hazards	
Hazards not otherwise	Avoid prolonged or repeated contact with used motor oil. Used motor oil has been shown to cause
classified:	skin cancer in laboratory animals.

Unknown acute toxicity (GHS-US)

SECTION 3: Composition/information on ingredients			
Chemical Name	%	CAS #	GHS Classification
Petroleum distillates, solvent-refined heavy paraffinic	1 - 5	64741-88-4	
Components not listed are not physical or health hazards as defined in 29 CFR 1910.1200 (Hazard Communication Standard).			

SECTION 4: First aid measures		
4.1. Description of first aid measures		
Inhalation	Remove to fresh air. If breathing is difficult, have a trained individual administer oxygen.	
Eyes	Use eye wash to remove a chemical from the eye. Flush the affected eye for at least fifteen minutes.	
	Tilt the head to prevent chemical from transferring to the uncontaminated eye. Seek medical attention if irritation persists.	
Skin Contact	Wash with soap and water. Get medical attention if irritation develops or persists. Seek medical advice if symptoms persist.	
Ingestion	Minimal risk of harm if swallowed. Do not induce vomiting. Seek medical attention immediately.	
	Provide medical care provider with this SDS.	
4.2. Most important symptoms and effects, both acute and delayed		
Symptoms	Not determined	
4.3. Indication of any immediate medical attention and special treatment needed		

SECTION 4: First aid measures

Note to Doctor

Aspiration during swallowing or vomiting may severely damage the lungs. If evacuation of stomach contents is necessary, use method least likely to cause aspiration.

SECTION 5: Firefighting measures		
5.1. Extinguishing media		
Suitable and Unsuitable	Use alcohol resistant foam, carbon dioxide, or dry chemical when fighting fires. Water or foam may	
Extinguishing Media:	cause frothing if liquid is burning but it still may be a useful extinguishing agent if carefully applied	
	to the surface of the fire. Do not direct a stream of water into the hot burning liquid.	
5.2. Special hazards arising from the substance or mixture		
Fire and/or Explosion	Material may be ignited only if preheated to temperatures above the high flash point, for example in	
Hazards	a fire.	
5.3. Advice for firefighters		
Fire Fighting Methods and	Do not enter fire area without proper protection including self- contained breathing apparatus and	
Protection	full protective equipment. Use methods for the surrounding fire.	
Hazardous Combustion	Carbon monoxide, Smoke	
Products		

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General Measures: No health affects expected from the clean up of this material if contact can be avoided. Follow personal protective equipment recommendations found in Section 8 of this SDS.

6.2. Environmental precautions

Do not flush to sewer.

Avoid runoff into storm sewers and ditches that lead to waterways.

Remove from water surface by skimming or with suitable absorbents. Do not use dispersants.

Avoid runoff into storm sewers and ditches that lead to waterways.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up: Prevent the spread of any spill to minimize harm to human health and the environment if safe to do so. Wear complete and proper personal protective equipment following the recommendation of Section 8 at a minimum. Dike with suitable absorbent material like granulated clay. Dispose of according to Federal, State, Local, or Provincial regulations. Used fluid should be disposed of at a recycling center. {EMSFORM_06GHS_CLEAN}

6.4. Reference to other sections

Follow all protective equipment recommendations provided in Section 8.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Mildly irritating material. Avoid unnecessary exposure.

7.2. Conditions for safe storage, including any incompatibilities

Store in a cool dry place. Isolate from incompatible materials.

Incompatible materials

See Section 10.

7.3. Specific end use(s) Motor Oil

SECTION 8: Exposure controls/personal protection

8.1. Control parameters **Chemical Name Occupational Exposure Limits** Value Oil mist, mineral OSHA PEL 5 mg/m3 Oil mist, mineral OSHA PEL 5 mg/m3Oil mist. mineral **OSHA PEL** 5 mg/m3Oil mist, mineral ACGIH TLV-TWA 5 mg/m3 Oil mist. mineral ACGIH TLV-TWA 5 mg/m3Oil mist, mineral ACGIH TLV-TWA 5 mg/m310 mg/m3 Oil mist, mineral ACGIH STEL

SECTION 8: Exposure controls/personal protection

8.1. Control parameters		
Chemical Name	Occupational Exposure Limits	Value
Oil mist, mineral	ACGIH STEL	10 mg/m3
Oil mist, mineral	ACGIH STEL	10 mg/m3
None.	IDLH	
None.	OSHA PEL-Skin Notation	
8.2. Exposure controls		
Engineering Measures	Use local exhaust ventilation or other engineering co operator comfort.	ontrols to minimize exposures and maintain
Respiratory Protection	Respiratory protection may be required to avoid overexposure when handling this product. General or local exhaust ventilation is the preferred means of protection. Use a respirator if general room ventilation is not available or sufficient to eliminate symptoms.	
Respirator Type(s)	None required where adequate ventilation is provided. If airborne concentrations are above the applicable exposure limits, use NIOSH/MSHA approved respiratory protection.	
Eye Protection	No special requirements under normal industrial use.	
Skin Protection	Where use can result in skin contact, practice good personal hygiene and wear impervious gloves.	
	Wash hands and other exposed areas with mild soap	and water before eating, drinking, and when
	leaving work.	
Gloves	Neoprene, Nitrile	

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties		
Physical State	Liquid	
Color	Amber	
Odor	Mild	
Odor threshold	Not determined	
рН	Not determined	
Freezing point	-20	
Boiling Point	Not determined	
Flash Point (°C)	208	
Flash Point Method	COC	
Evaporation Rate	Not determined	
Upper Flammable/Explosive	Not established	
Limit, % in air		
Lower Flammable/Explosive	Not established	
Limit, % in air		
Flammability (solid, gas)	Not applicable	
Vapor pressure	< 0.20	
Vapor Density	Not determined	
Relative Density	0.88	
Solubility in Water	Negligible; 0-1%	
Octanol/Water Partition	Not determined	
Coefficient		
Autoignition Temperature	Not determined	
Decomposition Temperature	Not determined	
Viscosity(°C)	85.28	
9.2. Other information		
Volatiles, % by weight	0.000000	

SECTION 10: Stability and reactivity

10.1. ReactivityNo data available.10.2. Chemical stabilityStable under normal conditions.10.3. Possibility of hazardousHazardous polymerization will not occur.

SECTION 10: Stability and reactivity

reactions	
10.4. Conditions to avoid	Temperatures above the high flash point of this combustible material in combination with sparks,
	open flames, or other sources of ignition. Moisture (will lead to product performance degradation).
10.5. Incompatible materials	Strong oxidizing agents
10.6. Hazardous	Carbon monoxide, Smoke, Carbon monoxide, sulfur oxides, aldehydes, and other petroleum
decomposition products	decomposition products in the case of incomplete combustion. Oxides of nitrogen, phosphorus,
	calcium, copper, magnesium, sodium, and hydrogen sulfide may also be present.

SECTION 11: Toxicological information

11.1. Information on toxicological effects		
Ingestion Toxicity	No hazard in normal industrial use. Estimated to be > 5.0 g/kg.	
Skin Contact	This material is likely to be slightly irritating to skin based on animal data. Can cause minor skin	
	irritation, defatting, and dermatitis.	
Absorption	Likely to be practically non-toxic based on animal data.	
Inhalation Toxicity	No hazard in normal industrial use. Likely to be practically non-toxic based on animal data.	
Eye Contact	This material is likely to be non-irritating to eyes based on animal data. No hazard in normal industrial use.	
Sensitization	Non-hazardous under Respiratory Sensitization category.No data available to indicate product or components may be a skin sensitizer.	
Mutagenicity	No data available to indicate product or any components present at greater than 0.1% is mutagenic or genotoxic.	
Carcinogenicity	Not expected to cause cancer. This product meets the IP-346 criteria of <3% PAH's and is not considered a carcinogen by the International Agency for Research on Cancer.	
Reproductive and	No data available to indicate product or any components present at greater than 0.1% may cause	
Developmental Toxicity	birth defects.	
Specific target organ	Non-hazardous under Specific Target Organ Systemic Toxicity Single Exposure category.	
toxicity-Single exposure		
Specific target organ	Non-hazardous under Specific Target Organ Systemic Toxicity Repeated Exposure category.	
toxicity-Repeated exposure		
Aspiration toxicity	Non-hazardous under Aspiration category.	
Other information	No data available.	

Agents Classified by IARC Monographs

Not applicable	IARC Group 1
Not applicable	IARC Group 2A
Vinyl acetate	IARC Group 2B

National Toxicity Program (NTP) Status

Not applicable	Known Human Carcinogen
Not applicable	Reasonably Anticipated To Be A Human Carcinogen

SECTION 12: Ecological information

12.1. Toxicity					
Acute Aquatic ecotoxicity:	Non-hazardous under Aquatic Acute Environment category.				
Chronic Aquatic ecotoxicity:	Non-hazardous under Aquatic Chronic Environment category.				
12.2. Persistence and degradability					
Biodegrades slowly.					
12.3. Bioaccumulative potential					
Bioconcentration may occur.					
12.4. Mobility in soil					
This material is expected to have essentially no mobility in soil. It absorbs strongly to most soil types.					
12.5. Results of PBT and vPvB assessment					
No data available.					
12.6. Other adverse effects					

SECTION 12: Ecological information

Not determined

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal Methods

Dispose of according to Federal, State, Local, or Provincial regulations. Recycle used oil.

Waste Disposal Code(s)

Waste Description for Spent Product

Spent or discarded material is non-hazardous according to environmental regulations.

Contaminated packaging:

Recycle containers whenever possible.

Recycle containers whenever possible.

Recycle containers whenever possible.

Recycle containers whenever possible.

SECTION 14: Transport information

DOT BasicNot classified as hazardous for transport (DOT, TDG, IMO/IMDG, IATA/ICAO).**Description**

SECTION 15: Regulatory information

SECTION 15. Regula	tory mior matio) 11						
<u>Chemical Inventories</u> TSCA Status U.S. State Restrictions: WHMIS:	All components of this material are on the US TSCA Inventory or are exempt. Not applicable Uncontrolled product according to WHMIS classification criteria.							
Chemical Name	Regula		CAS #		%			
None.	CERCL		100.05.4		0.001 0.01			
Vinyl acetate	SARA		108-05-4		0.001- 0.01			
None.	SARA							
None.	TSCA 12b							
U.S. State Regulations								
Chemical Name	Regula	tion	CAS #		%			
None.	0	nia Prop 65-						
	Cancer	1						
None.	Californ	nia Prop 65- Dev.						
	Toxicity	-						
None.		nia Prop 65-						
	Reprod	1						
None.	California Prop 65-							
	Reprod	-						
None.	Massachusetts RTK List							
None.	New Jersey RTK List							
None.	Pennsylvania RTK List							
None.	Rhode Island RTK List							
None.	Minnesota Hazardous							
	Substance List							
	HMIS Ratings:		NFPA Ratings:					
	Health: 1		Health:	1				
	Fire:	1	Fire:	1				
	Reactivity:	0	Reactivity:	0				
	DDE	, D						

PPE:

В

	KEY:	0 - Least	1 - Slight	2 - Moderate	3 - High	4 – Extreme						
SECTION	1 16. Otho	r information										
Revision Da		er information 10/22/2015 9:52:47 AM										
Supersedes:		None										
References		ACGIH: American Conference of Governmental Industrial Hygienists										
		AIHA: American Industrial Hygiene Association										
		CFR: Code of Federal Regulations										
		DOT: United States Department of Transportation										
		GHS: Globally Harmonized System of Classification and Labeling of Chemicals										
		HMIS: Hazardous Materials Identification System										
		IARC: International Agency for Research on Cancer IATA: International Air Transportation Association										
		IDLH: Immediately Dangerous to Life or Health IMDG: International Maritime Dangerous Goods										
		NFPA: National Fire Protection Association										
		NIOSH: National Institute for Occupational Safety and Health										
			nal Toxicology Pro									
				nd Health Administrat	ion							
			ssible Exposure Li	mit								
		RTK: Right		ts and Reauthorization	Act							
			t-term Exposure L		IACI							
			shold limit value	mmt								
		TSCA: Toxic Substances Control Act										
		TWA: Time weighted average										
		UN: United										
			-	is Materials Informati								
Disclaimer		THIS PRODUCT MATERIAL SAFETY DATA SHEET PROVIDES HEALTH AND SAFETY INFORMATION. THE PRODUCT SHOULD BE USED IN APPLICATIONS CONSISTENT WITH										
		THIS PRODUCT LITERATURE. FOR ANY OTHER USES, EXPOSURES SHOULD BE EVALUATED SO THAT APPROPRIATE HANDLING PRACTICES AND TRAINING PROGRAMS CAN BE ESTABLISHED TO ENSURE SAFE WORKPLACE OPERATIONS.										
THIS MATERIAL SAFETY DATA SHEET IS PROVIDED IN GOOD FAITH AND N												
	ROVISIONS OF SARA TITLE											
		III AND 29 CFR 1910.1200(g) OF THE OSHA REGULATIONS. THE ABOVE INFORMATION IS BASED ON REVIEW OF AVAILABLE INFORMATION SINCLAIR BELIEVES IS RELIABLE										
		AND IS SUPPLIED FOR INFORMATIONAL PURPOSES ONLY. SINCLAIR DOES NOT										
		GUARANTEE ITS COMPLETENESS OR ACCURACY. SINCE CONDITIONS OF USE ARE OUTSIDE THE CONTROL OF SINCLAIR, SINCLAIR DISCLAIMS ALL WARRANTIES, EXPRESS OR IMPLIED, AND ANY LIABILITY FOR DAMAGE OR INJURY WHICH RESULTS FROM THE USE OF THE ABOVE DATA. NOTHING HEREIN IS INTENDED TO PERMIT INFRINGEMENT OF VALID PATENTS AND LICENSES.										