

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier	
Product Name:	SL Synthetic Blend HM 5w30 SN BU
Product Code:	SIPCM042 (SINCLAIR CODE: 834-001)

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended use:Motor OilRecommendedNot applicablerestrictions:Not applicable

1.3. Details of the supplier of the safety data sheet

Manufacturer:	Warren Distribution, Inc.	
	727 S. 13th Street	
	Omaha, NE 68102	
Information Phone:	+01 (800) 825-1235	+01 (402) 341-9397
E-mail:	sds@wd-wpp.com	

1.4. Emergency telephone numberEmergency phone number:CHEMTREC: +1 (800) 424-9300International: +01 (703) 527-3887

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture Not classified under GHS

2.2. Label elements

2.3. Other hazards	
Hazards not otherwise	Avoid prolonged or repeated contact with used motor oil. Used motor oil has been shown to cause
classified:	skin cancer in laboratory animals.

Unknown acute toxicity (GHS-US)

SECTION 3: Composition/information on ingredients			
Chemical Name	%	CAS #	GHS Classification
Lubricating oils (petroleum), C20-50, hydrotreated	30 - 60	64742-54-7	Aquatic Acute 1; H400
neutral oil-based Lubricating oils (petroleum), C20-50,	10 - 30	64742-65-0	Aquatic Chronic 1; H410
hydrotreated neutral oil-based	7 - 13	72623-87-1	Acute Tox. 4; H302
	0.5 - 1.5	68649-42-3	Acute Tox. 3; H331
	0.1 - 1		Acute Tox. 4; H332
	0.01 - 0.1		Acute Tox. 3; H331
	0.001-0.01		Skin Irrit. 2; H315
			Aquatic Chronic 2; H411

Components not listed are not physical or health hazards as defined in 29 CFR 1910.1200 (Hazard Communication Standard).

SECTION 4: First aid measures

4.1. Description of first aid measuresInhalationRemove to fresh air. If breathing is difficult, have a trained individual administer oxygen.EyesUse eye wash to remove a chemical from the eye. Flush the affected eye for at least fifteen minutes.
Tilt the head to prevent chemical from transferring to the uncontaminated eye. Seek medical
attention if irritation persists.

SECTION 4: First aid measures		
Skin Contact	Wash with soap and water. Get medical attention if irritation develops or persists. Seek medical	
	advice if symptoms persist.	
Ingestion	Minimal risk of harm if swallowed. Do not induce vomiting. Seek medical attention immediately.	
	Provide medical care provider with this SDS.	
4.2. Most important symptoms and effects, both acute and delayed		
Symptoms	Not determined	
4.3. Indication of any immediate medical attention and special treatment needed		
Note to Doctor	Aspiration during swallowing or vomiting may severely damage the lungs. If evacuation of stomach	
	contents is necessary, use method least likely to cause aspiration.	

SECTION 5: Firefighting measures

She Hort of Henghung measures		
5.1. Extinguishing media		
Suitable and Unsuitable	Use alcohol resistant foam, carbon dioxide, or dry chemical when fighting fires. Water or foam may	
Extinguishing Media:	cause frothing if liquid is burning but it still may be a useful extinguishing agent if carefully applied	
	to the surface of the fire. Do not direct a stream of water into the hot burning liquid.	
5.2. Special hazards arising from the substance or mixture		
Fire and/or Explosion	Material may be ignited only if preheated to temperatures above the high flash point, for example in	
Hazards	a fire.	
5.3. Advice for firefighters		
Fire Fighting Methods and	Do not enter fire area without proper protection including self- contained breathing apparatus and	
Protection	full protective equipment. Use methods for the surrounding fire.	
Hazardous Combustion	Carbon monoxide, Smoke	
Products		

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General Measures: No health affects expected from the clean up of this material if contact can be avoided. Follow personal protective equipment recommendations found in Section 8 of this SDS.

6.2. Environmental precautions

Do not flush to sewer.

Avoid runoff into storm sewers and ditches that lead to waterways.

Remove from water surface by skimming or with suitable absorbents. Do not use dispersants.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up: Prevent the spread of any spill to minimize harm to human health and the environment if safe to do so. Wear complete and proper personal protective equipment following the recommendation of Section 8 at a minimum. Dike with suitable absorbent material like granulated clay. Dispose of according to Federal, State, Local, or Provincial regulations. Used fluid should be disposed of at a recycling center.

6.4. Reference to other sections

Follow all protective equipment recommendations provided in Section 8.

SECTION 7: Handling and storage

7.1. Precautions for safe handling
Mildly irritating material. Avoid unnecessary exposure.
7.2. Conditions for safe storage, including any incompatibilities
Store in a cool dry place. Isolate from incompatible materials.
Incompatible materials
See Section 10.
7.3. Specific end use(s)
Motor Oil

SECTION 8: Exposure controls/personal protection

8.1. Control parameters Chemical Name Oil mist, mineral

Occupational Exposure Limits OSHA PEL Value 5 mg/m3

SECTION 8: Exposure controls/personal protection

8.1. Control parameters			
Chemical Name	Occupational Expo	osure Limits Value	
Oil mist, mineral	OSHA PEL	5 mg/m3	
Lubricating oils (petroleum), C2	0-50, OSHA PEL	5 mg/m3	
hydrotreated neutral oil-based			
Oil mist, mineral	ACGIH TLV-TWA	A 5 mg/m3	
Oil mist, mineral	ACGIH TLV-TWA	A 5 mg/m3	
Lubricating oils (petroleum), C2	0-50, ACGIH TLV-TWA	A 5 mg/m3	
hydrotreated neutral oil-based			
Oil mist, mineral	ACGIH STEL	10 mg/m3	
Oil mist, mineral	ACGIH STEL	10 mg/m3	
Lubricating oils (petroleum), C2	0-50, ACGIH STEL	10 mg/m3	
hydrotreated neutral oil-based			
None.	IDLH		
None.	OSHA PEL-Skin N	lotation	
8.2. Exposure controls			
Engineering Measures	Use local exhaust ventilation or other engineering controls to minimize exposures and maintain		
	operator comfort.		
Respiratory Protection	Respiratory protection may be required to avoid overexposure when handling this product. General		
	or local exhaust ventilation is the preferred means of protection. Use a respirator if general room		
	ventilation is not available or sufficient to eliminate symptoms.		
Respirator Type(s)	None required where adequate ventilation is provided. If airborne concentrations are above the		
	applicable exposure limits, use NIOSH/MSHA approved respiratory protection.		
Eye Protection	No special requirements under normal industrial use.		

Skin Protection Where use can result in skin contact, practice good personal hygiene and wear impervious gloves. Wash hands and other exposed areas with mild soap and water before eating, drinking, and when leaving work. Neoprene, Nitrile, Polyvinyl chloride, Impervious rubber

SECTION 9: Physical and chemical properties

Gloves

SECTION 9: Physical and chemical properties		
9.1. Information on basic physical and chemical properties		
Physical State	Liquid	
Color	Brown	
Odor	Mild	
Odor threshold	Not determined	
рН	Not determined	
Freezing point	-20	
Boiling Point	Not determined	
Flash Point (°C)	204	
Flash Point Method	COC	
Evaporation Rate	Not determined	
Upper Flammable/Explosive	= 10	
Limit, % in air		
Lower Flammable/Explosive	=1	
Limit, % in air		
Flammability (solid, gas)	Not applicable	
Vapor pressure	<0.20	
Vapor Density	Not determined	
Relative Density	0.86	
Solubility in Water	Negligible; 0-1%	
Octanol/Water Partition	Not determined	
Coefficient		
Autoignition Temperature	Not determined	

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties		
Decomposition Temperature	Not determined	
Viscosity(°C)	64.86	
9.2. Other information		
Volatiles, % by weight	0.000000	

SECTION 10: Stability and reactivity		
10.1. Reactivity	No data available.	
10.2. Chemical stability	Stable under normal conditions.	
10.3. Possibility of hazardous	Hazardous polymerization will not occur.	
reactions		
10.4. Conditions to avoid	Temperatures above the high flash point of this combustible material in combination with sparks, open flames, or other sources of ignition. Moisture (will lead to product performance degradation).	
10.5. Incompatible materials	Strong oxidizing agents	
10.6. Hazardous	Carbon monoxide, Smoke, Carbon monoxide, sulfur oxides, aldehydes, and other petroleum	
decomposition products	decomposition products in the case of incomplete combustion. Oxides of nitrogen, phosphorus, calcium, copper, magnesium, sodium, and hydrogen sulfide may also be present.	

SECTION 11: Toxicological information

11.1. Information on toxicological effects		
Ingestion Toxicity	No hazard in normal industrial use. Estimated to be > 5.0 g/kg.	
Skin Contact	This material is likely to be slightly irritating to skin based on animal data. Can cause minor skin	
	irritation, defatting, and dermatitis.	
Absorption	Likely to be practically non-toxic based on animal data.	
Inhalation Toxicity	No hazard in normal industrial use. Likely to be practically non-toxic based on animal data.	
Eye Contact	This material is estimated to be non-irritating eyes (Draize score <15 [rabbits]). No hazard in normal industrial use.	
Sensitization	Non-hazardous under Respiratory Sensitization category.No data available to indicate product or components may be a skin sensitizer.	
Mutagenicity	No data available to indicate product or any components present at greater than 0.1% is mutagenic or genotoxic.	
Carcinogenicity	Not expected to cause cancer. This product meets the IP-346 criteria of <3% PAH's and is not considered a carcinogen by the International Agency for Research on Cancer.	
Reproductive and	No data available to indicate product or any components present at greater than 0.1% may cause	
Developmental Toxicity	birth defects.	
Specific target organ toxicity-Single exposure	Non-hazardous under Specific Target Organ Systemic Toxicity Single Exposure category.	
Specific target organ toxicity-Repeated exposure	Non-hazardous under Specific Target Organ Systemic Toxicity Repeated Exposure category.	
Aspiration toxicity	Non-hazardous under Aspiration category.	
Other information	No data available.	

Agents Classified by IARC Monographs

Not applicable	IARC Group 1
Not applicable	IARC Group 2A
Not applicable	IARC Group 2B

National Toxicity Program (NTP) Status

Not applicable	Known Human Carcinogen
Not applicable	Reasonably Anticipated To Be A Human Carcinogen

SECTION 12: Ecological information

 12.1. Toxicity
 Non-hazardous under Aquatic Acute Environment category.

 Acute Aquatic ecotoxicity:
 Non-hazardous under Aquatic Acute Environment category.

 12.2. Persistence and degradability
 Biodegrades slowly.

 12.3. Bioaccumulative potential
 Bioconcentration may occur.

 12.4. Mobility in soil
 This material is expected to have essentially no mobility in soil. It absorbs strongly to most soil types.

 12.5. Results of PBT and vPvB assessment
 No data available.

 12.6. Other adverse effects
 Not determined

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal Methods Dispose of according to Federal, State, Local, or Provincial regulations. Recycle used oil.

Waste Disposal Code(s)

Waste Description for Spent Product

Spent or discarded material is non-hazardous according to environmental regulations.

Contaminated packaging:

Recycle containers whenever possible. Recycle containers whenever possible.

Recycle containers whenever possible.

SECTION 14: Transport information

DOT Basic Not classified as hazardous for transport (DOT, TDG, IMO/IMDG, IATA/ICAO). **Description**

SECTION 15: Regulatory information

Shoritor ici Regulat	ory million mathematical				
Chemical Inventories					
U.S. State Restrictions:	Not applicable				
WHMIS:	Uncontrolled product according to WHMIS classification criteria.				
	1 0				
Chemical Name	Regulation	CAS #	%		
None.	CERCLA				
None.	SARA 313				
None.	SARA EHS				
None.	TSCA 12b				
U.S. State Regulations					
Chemical Name	Regulation	CAS #	%		
None.	California Prop 65-				
	Cancer				
None.	California Prop 65- Dev.				
	Toxicity				
None.	California Prop 65-				
	Reprod -fem				
None.	California Prop 65-				
	Reprod-male				
None.	Massachusetts RTK List				
None.	New Jersey RTK List				
None.	Pennsylvania RTK List				
	i ennis ji vana i en e Elist				

Chemical Name None. None.		Regulation Rhode Island RTK List Minnesota Hazardous Substance List		CAS #		%
		HMIS Ratings:		NFPA Ratings:		
		Health:	1	Health:	1	
		Fire:	1	Fire:	1	
		Reactivity:	0	Reactivity:	0	
		PPE:	В			
k	KEY: 0	- Least	1 - Slight	2 - Moderate	3 - High	4 – Extreme
SECTION 16	5: Other inf	formation				

SECTION 16: Of	ther information
Revision Date	10/21/2015 12:27:41 PM
Supersedes:	None
References	ACGIH: American Conference of Governmental Industrial Hygienists
	AIHA: American Industrial Hygiene Association
	CFR: Code of Federal Regulations
	DOT: United States Department of Transportation
	GHS: Globally Harmonized System of Classification and Labeling of Chemicals
	HMIS: Hazardous Materials Identification System
	IARC: International Agency for Research on Cancer
	IATA: International Air Transportation Association
	IDLH: Immediately Dangerous to Life or Health
	IMDG: International Maritime Dangerous Goods
	NFPA: National Fire Protection Association
	NIOSH: National Institute for Occupational Safety and Health
	NTP: National Toxicology Program
	OSHA: Occupational Safety and Health Administration
	PEL: Permissible Exposure Limit
	RTK: Right-to-Know
	SARA: Superfund Amendments and Reauthorization Act
	STEL: Short-term Exposure Limit
	TLV: Threshold limit value
	TSCA: Toxic Substances Control Act
	TWA: Time weighted average
	UN: United Nations
	WHMIS: Workplace Hazardous Materials Information System
Disclaimer	THIS PRODUCT MATERIAL SAFETY DATA SHEET PROVIDES HEALTH AND SAFETY
	INFORMATION. THE PRODUCT SHOULD BE USED IN APPLICATIONS CONSISTENT WITH
	THIS PRODUCT LITERATURE. FOR ANY OTHER USES, EXPOSURES SHOULD BE
	EVALUATED SO THAT APPROPRIATE HANDLING PRACTICES AND TRAINING
	PROGRAMS CAN BE ESTABLISHED TO ENSURE SAFE WORKPLACE OPERATIONS.
	THIS MATERIAL SAFETY DATA SHEET IS PROVIDED IN GOOD FAITH AND MEETS THE
	REQUIREMENTS OF THE HAZARDOUS COMMUNICATION PROVISIONS OF SARA TITLE
	III AND 29 CFR 1910.1200(g) OF THE OSHA REGULATIONS. THE ABOVE INFORMATION IS
	BASED ON REVIEW OF AVAILABLE INFORMATION SINCLAIR BELIEVES IS RELIABLE
	AND IS SUPPLIED FOR INFORMATIONAL PURPOSES ONLY. SINCLAIR DOES NOT
	GUARANTEE ITS COMPLETENESS OR ACCURACY.
	SINCE CONDITIONS OF USE ARE OUTSIDE THE CONTROL OF SINCLAIR, SINCLAIR
	DISCLAIMS ALL WARRANTIES, EXPRESS OR IMPLIED, AND ANY LIABILITY FOR
	DAMAGE OR INJURY WHICH RESULTS FROM THE USE OF THE ABOVE DATA. NOTHING
	HEREIN IS INTENDED TO PERMIT INFRINGEMENT OF VALID PATENTS AND LICENSES.
	LEAL, IS INTERDED TO FERRIT INTERVISE METTOR THEIR IS MUD LICENSES.