

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier
Product Name:
Product Code:

SINCLAIR FLEET 10 55GL SI051055 (Sinclair Code: 512-003)

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended use:Motor OilRecommendedNot applicrestrictions:Not applic

Not applicable

### 1.3. Details of the supplier of the safety data sheet

Manufacturer:	Warren Distribution, Inc.	
	727 S. 13th Street	
	Omaha, NE 68102	
Information Phone:	+01 (800) 825-1235	+01 (402) 341-9397
E-mail:	sds@wd-wpp.com	

# 1.4. Emergency telephone numberEmergency phone number:CHEMTREC: +1 (800) 424-9300International: +01 (703) 527-3887

### **SECTION 2: Hazards identification**

**2.1. Classification of the substance or mixture** Not classified under GHS

2.2. Label elements

2.3. Other hazards	
Hazards not otherwise	Avoid prolonged or repeated contact with used motor oil. Used motor oil has been shown to cause
classified:	skin cancer in laboratory animals.

Unknown acute toxicity (GHS-US)

SECTION 3: Composition/information on ingredients			
Chemical Name	%	CAS #	GHS Classification
Petroleum distillates, solvent-refined heavy paraffinic	1 - 5	64741-88-4	
Components not listed are not physical or health hazards as defined in 29 CFR 1910.1200 (Hazard Communication Standard).			

SECTION 4: First aid measures		
4.1. Description of first aid measures		
Inhalation	Remove to fresh air. If breathing is difficult, have a trained individual administer oxygen.	
Eyes	Use eye wash to remove a chemical from the eye. Flush the affected eye for at least fifteen minutes.	
	Tilt the head to prevent chemical from transferring to the uncontaminated eye. Seek medical attention if irritation persists.	
Skin Contact	Wash with soap and water. Get medical attention if irritation develops or persists. Seek medical advice if symptoms persist.	
Ingestion	Minimal risk of harm if swallowed. Do not induce vomiting. Seek medical attention immediately.	
	Provide medical care provider with this SDS.	
4.2. Most important symptoms and effects, both acute and delayed		
Symptoms	Not determined	
4.3. Indication of any immediate medical attention and special treatment needed		

#### **SECTION 4: First aid measures**

Note to Doctor

Aspiration during swallowing or vomiting may severely damage the lungs. If evacuation of stomach contents is necessary, use method least likely to cause aspiration.

SECTION 5: Firefighting measures		
5.1. Extinguishing media		
Suitable and Unsuitable	Use alcohol resistant foam, carbon dioxide, or dry chemical when fighting fires. Water or foam may	
Extinguishing Media:	cause frothing if liquid is burning but it still may be a useful extinguishing agent if carefully applied	
	to the surface of the fire. Do not direct a stream of water into the hot burning liquid.	
5.2. Special hazards arising from the substance or mixture		
Fire and/or Explosion	Material may be ignited only if preheated to temperatures above the high flash point, for example in	
Hazards	a fire.	
5.3. Advice for firefighters		
Fire Fighting Methods and	Do not enter fire area without proper protection including self- contained breathing apparatus and	
Protection	full protective equipment. Use methods for the surrounding fire.	
Hazardous Combustion	Carbon monoxide, Smoke	
Products		

### **SECTION 6: Accidental release measures**

### 6.1. Personal precautions, protective equipment and emergency procedures

**General Measures:** No health affects expected from the clean up of this material if contact can be avoided. Follow personal protective equipment recommendations found in Section 8 of this SDS.

#### 6.2. Environmental precautions

Do not flush to sewer.

Avoid runoff into storm sewers and ditches that lead to waterways.

Remove from water surface by skimming or with suitable absorbents. Do not use dispersants.

Avoid runoff into storm sewers and ditches that lead to waterways.

### 6.3. Methods and material for containment and cleaning up

**Methods for cleaning up:** Prevent the spread of any spill to minimize harm to human health and the environment if safe to do so. Wear complete and proper personal protective equipment following the recommendation of Section 8 at a minimum. Dike with suitable absorbent material like granulated clay. Dispose of according to Federal, State, Local, or Provincial regulations. Used fluid should be disposed of at a recycling center. {EMSFORM\_06GHS\_CLEAN}

### 6.4. Reference to other sections

Follow all protective equipment recommendations provided in Section 8.

### **SECTION 7: Handling and storage**

### 7.1. Precautions for safe handling

Mildly irritating material. Avoid unnecessary exposure.

### 7.2. Conditions for safe storage, including any incompatibilities

Store in a cool dry place. Isolate from incompatible materials.

**Incompatible materials** 

See Section 10.

**7.3. Specific end use(s)** Motor Oil

### **SECTION 8: Exposure controls/personal protection**

#### 8.1. Control parameters **Chemical Name Occupational Exposure Limits** Value Oil mist, mineral OSHA PEL 5 mg/m3 Oil mist, mineral OSHA PEL 5 mg/m3Oil mist. mineral **OSHA PEL** 5 mg/m3Oil mist, mineral ACGIH TLV-TWA 5 mg/m3 Oil mist. mineral ACGIH TLV-TWA 5 mg/m3Oil mist, mineral ACGIH TLV-TWA 5 mg/m3Oil mist, mineral 10 mg/m3 ACGIH STEL

#### SINCLAIR FLEET 10 55GL

### **SECTION 8: Exposure controls/personal protection**

8.1. Control parameters		
Chemical Name	<b>Occupational Exposure Limits</b>	Value
Oil mist, mineral	ACGIH STEL	10 mg/m3
Oil mist, mineral	ACGIH STEL	10 mg/m3
None.	IDLH	
None.	OSHA PEL-Skin Notation	
8.2. Exposure controls		
Engineering Measures	Use local exhaust ventilation or other engineering con operator comfort.	ntrols to minimize exposures and maintain
<b>Respiratory Protection</b>	Respiratory protection may be required to avoid overexposure when handling this product. General or local exhaust ventilation is the preferred means of protection. Use a respirator if general room ventilation is not available or sufficient to eliminate symptoms.	
<b>Respirator Type(s)</b>	None required where adequate ventilation is provided. If airborne concentrations are above the applicable exposure limits, use NIOSH/MSHA approved respiratory protection.	
Eye Protection	No special requirements under normal industrial use.	
Skin Protection	Where use can result in skin contact, practice good personal hygiene and wear impervious gloves.	
	Wash hands and other exposed areas with mild soap	and water before eating, drinking, and when
	leaving work.	
Gloves	Neoprene, Nitrile	

### **SECTION 9: Physical and chemical properties**

9.1. Information on basic physical and chemical properties		
Physical State	Liquid	
Odor	Mild	
Odor threshold	Not determined	
рН	Not determined	
Freezing point	-20	
Boiling Point	Not determined	
Flash Point (°C)	206	
Flash Point Method	COC	
Evaporation Rate	Not determined	
Upper Flammable/Explosive	= 10	
Limit, % in air		
Lower Flammable/Explosive	= 1	
Limit, % in air		
Flammability (solid, gas)	Not applicable	
Vapor pressure	<0.20	
Vapor Density	Not determined	
<b>Relative Density</b>	0.87	
Solubility in Water	Negligible; 0-1%	
<b>Octanol/Water Partition</b>	Not determined	
Coefficient		
Autoignition Temperature	Not determined	
<b>Decomposition Temperature</b>	Not determined	
Viscosity(°C)	41.69	
9.2. Other information		
Volatiles, % by weight	0.000000	

### SECTION 10: Stability and reactivity

10.1. Reactivity	No data available.
10.2. Chemical stability	Stable under normal conditions.
10.3. Possibility of hazardous	Hazardous polymerization will not occur.
reactions	

SECTION 10: Stability and reactivity		
10.4. Conditions to avoid	Temperatures above the high flash point of this combustible material in combination with sparks,	
	open flames, or other sources of ignition. Moisture (will lead to product performance degradation).	
10.5. Incompatible materials	Strong oxidizing agents	
10.6. Hazardous	Carbon monoxide, Smoke, Carbon monoxide, sulfur oxides, aldehydes, and other petroleum	
decomposition products	decomposition products in the case of incomplete combustion. Oxides of nitrogen, phosphorus, calcium, copper, magnesium, sodium, and hydrogen sulfide may also be present.	

### SECTION 11: Toxicological information

11.1. Information on toxicolog	ical effects
Ingestion Toxicity	No hazard in normal industrial use. Estimated to be $> 5.0$ g/kg.
Skin Contact	This material is likely to be slightly irritating to skin based on animal data. Can cause minor skin
	irritation, defatting, and dermatitis.
Absorption	Likely to be practically non-toxic based on animal data.
Inhalation Toxicity	No hazard in normal industrial use. Likely to be practically non-toxic based on animal data.
Eye Contact	This material is likely to be non-irritating to eyes based on animal data. No hazard in normal
-	industrial use.
Sensitization	Non-hazardous under Respiratory Sensitization category.No data available to indicate product or
	components may be a skin sensitizer.
Mutagenicity	No data available to indicate product or any components present at greater than 0.1% is mutagenic
	or genotoxic.
Carcinogenicity	Not expected to cause cancer. This product meets the IP-346 criteria of <3% PAH's and is not
	considered a carcinogen by the International Agency for Research on Cancer.
<b>Reproductive and</b>	No data available to indicate product or any components present at greater than 0.1% may cause
<b>Developmental Toxicity</b>	birth defects.
Specific target organ	Non-hazardous under Specific Target Organ Systemic Toxicity Single Exposure category.
toxicity-Single exposure	
Specific target organ	Non-hazardous under Specific Target Organ Systemic Toxicity Repeated Exposure category.
toxicity-Repeated exposure	
Aspiration toxicity	Non-hazardous under Aspiration category.
Other information	No data available.

### Agents Classified by IARC Monographs

Benzene	IARC Group 1
Not applicable	IARC Group 2A
Vinyl acetate	IARC Group 2B

National To	xicity Program	(NTP)	Sta	<u>atus</u>	
D		17		тт	0

Benzene	Known Human Carcinogen
Not applicable	Reasonably Anticipated To Be A Human Carcinogen

### **SECTION 12: Ecological information**

12.1. Toxicity				
Acute Aquatic ecotoxicity:	Non-hazardous under Aquatic Acute Environment category.			
Chronic Aquatic ecotoxicity:	Non-hazardous under Aquatic Chronic Environment category.			
12.2. Persistence and degradability				
Biodegrades slowly.				
12.3. Bioaccumulative potentia	1			
Bioconcentration may occur.				
12.4. Mobility in soil				
This material is expected to have essentially no mobility in soil. It absorbs strongly to most soil types.				
12.5. Results of PBT and vPvB assessment				
No data available.				
12.6. Other adverse effects				
Not determined				

### **SECTION 13: Disposal considerations**

### **13.1.** Waste treatment methods

Disposal Methods

Dispose of according to Federal, State, Local, or Provincial regulations. Recycle used oil.

Waste Disposal Code(s)

Waste Description for Spent Product

Spent or discarded material is non-hazardous according to environmental regulations.

#### **Contaminated packaging:**

Recycle containers whenever possible. Recycle containers whenever possible. Recycle containers whenever possible. Recycle containers whenever possible.

Recycle containers whenever possible.

### **SECTION 14: Transport information**

**DOT Basic** Not classified as hazardous for transport (DOT, TDG, IMO/IMDG, IATA/ICAO). **Description** 

### **SECTION 15: Regulatory information**

#### **Chemical Inventories**

U.S. State Restrictions:	Not app
WHMIS:	Uncont

Not applicable Uncontrolled product according to WHMIS classification criteria.

Chemical Name	<b>Regulation</b> CERCLA	CAS #	%
Diphenylamine	SARA 313	122-39-4	0.001-0.01
Vinyl acetate	SARA 313	108-05-4	0.001- 0.01
Benzene	SARA 313 SARA 313	71-43-2	
		/1-43-2	<10ppm
None.	SARA EHS		
None.	TSCA 12b		
U.S. State Regulations			
Chemical Name	Regulation	CAS #	%
Benzene	California Prop 65-	71-43-2	<10ppm
	Cancer		11
Benzene	California Prop 65- Dev.	71-43-2	<10ppm
	Toxicity		11
None.	California Prop 65-		
	Reprod -fem		
Benzene	California Prop 65-	71-43-2	<10ppm
	Reprod-male		11
None.	Massachusetts RTK List		
None.	New Jersey RTK List		
None.	Pennsylvania RTK List		
None.	Rhode Island RTK List		
None.	Minnesota Hazardous		
	Substance List		
-			
	IMIS Ratings:	NFPA Ratings:	
H	Health: 1	Health: 1	

1

0

В

Fire:

Reactivity:

1

0

Fire:

PPE:

Reactivity:

	KEY:	0 - Least	1 - Slight	2 - Moderate	3 - High	4 – Extreme
SECTION	16. Othor	information				
SECTION Revision Dat Supersedes: References	es: 8/30/2012 1:58:56 PM					Chemicals
Disclaimer		IATA: Intern IDLH: Imma IMDG: Inter NFPA: Nation NIOSH: Nation OSHA: Occ PEL: Permiss RTK: Right- SARA: Supe STEL: Short TLV: Thres! TSCA: Toxi TWA: Time UN: United WHMIS: W THIS PROD INFORMAT THIS PROD EVALUATI	national Air Transp ediately Dangerous mational Maritime onal Fire Protection ional Institute for 0 and Toxicology Pro- upational Safety ar ssible Exposure Lin- to-Know erfund Amendmen t-term Exposure Lin- hold limit value c Substances Cont weighted average Nations orkplace Hazardou DUCT MATERIAL FION. THE PROD DUCT LITERATU ED SO THAT API	portation Association s to Life or Health Dangerous Goods in Association Occupational Safety an gram ind Health Administrati mit ts and Reauthorization mit rol Act s Materials Informatio SAFETY DATA SH UCT SHOULD BE U RE. FOR ANY OTHE PROPRIATE HANDL	on Act EET PROVIDES SED IN APPLICA R USES, EXPOS ING PRACTICES	
		REQUIREM III AND 29 BASED ON AND IS SU GUARANT SINCE CON DISCLAIM DAMAGE (	IENTS OF THE H CFR 1910.1200(g) REVIEW OF AV PPLIED FOR INF EE ITS COMPLE IDITIONS OF US S ALL WARRAN DR INJURY WHIO	AZARDOUS COMM OF THE OSHA REC AILABLE INFORMA ORMATIONAL PUR TENESS OR ACCUR E ARE OUTSIDE TH TIES, EXPRESS OR I CH RESULTS FROM	UNICATION PR GULATIONS. TH ATION SINCLAII POSES ONLY. S ACY. E CONTROL OF IMPLIED, AND A THE USE OF TH	D FAITH AND MEETS THE OVISIONS OF SARA TITLE E ABOVE INFORMATION IS R BELIEVES IS RELIABLE INCLAIR DOES NOT S SINCLAIR, SINCLAIR ANY LIABILITY FOR HE ABOVE DATA. NOTHING PATENTS AND LICENSES.