

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product Name: SINCLAIR DOT 3 BF 12/12OZ **Product Code:** SI20BF12 (Sinclair Code: 580-006)

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended use: Brake Fluid Recommended Not applicable

restrictions:

1.3. Details of the supplier of the safety data sheet

Manufacturer: Warren Distribution, Inc.

727 S. 13th Street Omaha, NE 68102

Information Phone: +01 (800) 825-1235 +01 (402) 341-9397

E-mail: sds@wd-wpp.com

1.4. Emergency telephone number

Emergency phone number: CHEMTREC: +1 (800) 424-9300

International: +01 (703) 527-3887

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Serious Eye Damage/Eye Irritation Category 1

Specific Target Organ Systemic Toxicity (STOT) - Repeated Exposure Category 2

2.2. Label elements







Signal Word Danger

Hazard Statements H318 - Causes serious eye damage.

H373 - May cause damage to organs through prolonged or repeated exposure.

Precautionary Statements

Prevention P260 - Do not breathe dust/fume/gas/mist/vapors/spray.

P280 - Wear protective gloves/protective clothing/eye protection/face protection.

Response P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact

lenses, if present and easy to do. Continue rinsing. P310 - Immediately call a poison center/doctor/.... P314 - Get medical advice/attention if you feel unwell.

Disposal P501- Dispose of contents/container in accordance with local/regional/national/international

regulations.

2.3. Other hazards

Hazards not otherwise No data available.

classified:

Unknown acute toxicity (GHS-US)

Unknown Acute Toxicity 100 % of the mixture consists of ingredient(s) of unknown toxicity.

(Gas):

SECTION 3: Composition/information on ingredients

| Chemical Name | % | CAS # | GHS Classification |
|--|---------|----------|--------------------|
| Ethanol, 2-(2-(2-butoxyethoxy)ethoxy)- | 15 - 40 | 143-22-6 | Eye Dam. 1; H318 |
| Diethylene glycol | 10 - 30 | 111-46-6 | Acute Tox. 4; H302 |
| | | | STOT RE 2: H373 |

Components not listed are not physical or health hazards as defined in 29 CFR 1910.1200 (Hazard Communication Standard).

SECTION 4: First aid measures

4.1. Description of first aid measures

Inhalation This material does not present a hazard if inhaled. Remove individual to fresh air after an airborne

exposure if any symptoms develop, as a precautionary measure.

Eyes Immediately flush eyes with plenty of water for at least 20 minutes retracting eyelids often. Tilt the

head to prevent chemical from transferring to the uncontaminated eye. Get immediate medical

attention and monitor the eye daily as advised by your physician.

Skin Contact Wash with soap and water. Get medical attention if irritation develops or persists.

Ingestion No hazard in normal industrial use. Do not induce vomiting. Seek medical attention if symptoms

develop. Provide medical care provider with this SDS.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms Not determined

4.3. Indication of any immediate medical attention and special treatment needed

Note to Doctor No additional first aid information available.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable and Unsuitable
Use alcohol resistant foam, carbon dioxide, or dry chemical when fighting fires. Water or foam may cause frothing if liquid is burning but it still may be a useful extinguishing agent if carefully applied

to the surface of the fire. Do not direct a stream of water into the hot burning liquid.

5.2. Special hazards arising from the substance or mixture

Fire and/or Explosion Material may be ignited only if preheated to temperatures above the high flash point, for example in

Hazards a fire.

5.3. Advice for firefighters

Fire Fighting Methods and Do not enter fire area without proper protection including self- contained breathing apparatus and

Protection full protective equipment. Use methods for the surrounding fire.

Hazardous Combustion Carbon monoxide, Carbon dioxide, Nitrogen containing gases

Products

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General Measures: Exposure to the spilled material may be severely irritating or toxic. Follow personal protective equipment recommendations found in Section 8 of this SDS. Personal protective equipment needs must be evaluated based on the special circumstances created by the spill including; the material spilled, the quantity of the spill, the area in which the spill occurred, and the expertise of employees in the area responding to the spill. Never exceed any occupational exposure limits.

6.2. Environmental precautions

No data available.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up: Prevent the spread of any spill to minimize harm to human health and the environment if safe to do so. Wear complete and proper personal protective equipment following the recommendation of Section 8 at a minimum. Dike with suitable absorbent material. Gather and store in a sealed container pending a waste disposal evaluation.

6.4. Reference to other sections

Follow all protective equipment recommendations provided in Section 8.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Mildly irritating material. Avoid unnecessary exposure.

7.2. Conditions for safe storage, including any incompatibilities

Store in a cool dry place. Isolate from incompatible materials.

Incompatible materials

See Section 10.

7.3. Specific end use(s)

Brake Fluid

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Chemical Name Occupational Exposure Limits Value

None. OSHA PEL None. IDLH

None. OSHA PEL-Skin Notation

8.2. Exposure controls

Engineering MeasuresNo engineering controls are likely to be required to maintain operator comfort under normal

conditions of use.

Respiratory Protection No respiratory protection required under normal conditions of use.

Respirator Type(s)None required where adequate ventilation is provided. If airborne concentrations are above the

applicable exposure limits, use NIOSH/MSHA approved respiratory protection.

Eye Protection Wear chemically resistant safety glasses with side shields when handling this product. Wear

additional eye protection such as chemical splash goggles and/or face shield when the possibility exists for eye contact with splashing or spraying liquid, or airborne material. Do not wear contact

lenses. Have an eye wash station available.

Skin Protection Where use can result in skin contact, practice good personal hygiene and wear impervious gloves.

Wash hands and other exposed areas with mild soap and water before eating, drinking, and when leaving work. Where contact is likely, wear chemical resistant gloves, a chemical suit, rubber boots,

and chemical safety goggles plus a face shield. Butyl rubber, Natural latex,, Polyvinyl chloride

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical State Liquid

Colorless to pale yellow

Odor Strong

Odor threshold Not determined

pH 8.6

Freezing point Not determined

Boiling Point 260 **Flash Point (°C)** 138

Flash Point Method ASTM D 93
Evaporation Rate Not determined
Upper Flammable/Explosive Not established

Limit, % in air

Lower Flammable/Explosive Not established

Limit, % in air

Gloves

Flammability (solid, gas) Not applicable Vapor pressure Not determined

Vapor Density 6 Relative Density 1.04

Solubility in Water Complete; 100% Octanol/Water Partition Not determined

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Coefficient

Autoignition Temperature Not determined

Decomposition Temperature

305

9.2. Other information

Volatiles, % by weight 0.000000

SECTION 10: Stability and reactivity

10.1. Reactivity No data available.

10.2. Chemical stability Stable under normal conditions.

10.3. Possibility of hazardous Hazardous polymerization will not occur.

reactions

10.4. Conditions to avoid Temperatures above the high flash point of this combustible material in combination with sparks,

open flames, or other sources of ignition. Dried product residue (can act as an oxidizer). Impact or

high temperatures can cause decomposition

10.5. Incompatible materials

Strong acids, Strong oxidizing agents

10.6. Hazardous

Aldehydes

decomposition products

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Ingestion Toxicity Although this product has a low order of acute oral toxicity, aspiration of minute amounts into the

lungs during ingestion or vomiting may cause mild to severe pulmonary injury and possibly

death. Estimated to be > 5.0 g/kg.

Skin Contact This material is estimated to be slightly irritating (Primary Irritation Index is 0.5 - 3.0 [rabbits]). Can

cause minor skin irritation, defatting, and dermatitis.

Absorption Estimated to be > 5.0 g/kg; practically non-toxic

Inhalation Toxicity No hazard in normal industrial use. Likely to be practically non-toxic based on animal data.

Eye Contact This material is likely to be severely irritating to eyes based on animal data. Contact with the eyes

may cause moderate to severe eye injury. Eye contact may result in tearing and reddening, but not likely to permanently injure eye tissue. Temporary vision impairment (cloudy or blurred vision) is

possible.

Sensitization Non-hazardous under Respiratory Sensitization category. No data available to indicate product or

components may be a skin sensitizer.

Mutagenicity No data available to indicate product or any components present at greater than 0.1% is mutagenic

or genotoxic.

Carcinogenicity Not a carcinogen according to NTP, IARC, or OSHA.

Reproductive andNo data available to indicate product or any components present at greater than 0.1% may cause

Developmental Toxicity birth defects.

Specific target organ Non-hazardous under Specific Target Organ Systemic Toxicity Single Exposure category.

toxicity-Single exposure

Specific target organ H373 - May cause damage to organs through prolonged or repeated exposure.

toxicity-Repeated exposure

Aspiration toxicity Non-hazardous under Aspiration category.

Other information No data available.

Agents Classified by IARC Monographs

Not applicable IARC Group 1
Not applicable IARC Group 2A
Not applicable IARC Group 2B

National Toxicity Program (NTP) Status

Not applicable Known Human Carcinogen

Not applicable Reasonably Anticipated To Be A Human Carcinogen

SECTION 12: Ecological information

12.1. Toxicity

Acute Aquatic ecotoxicity: Non-hazardous under Aquatic Acute Environment category.

Chronic Aquatic ecotoxicity: Non-hazardous under Aquatic Chronic Environment category.

12.2. Persistence and degradability

Biodegrades at a moderate rate.

12.3. Bioaccumulative potential

Bioconcentration is not expected to occur.

12.4. Mobility in soil

This material is expected to have essentially no mobility in soil. It absorbs strongly to most soil types.

12.5. Results of PBT and vPvB assessment

No data available.

12.6. Other adverse effects

Not determined

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal Methods

Dispose of according to Federal, State, Local, or Provincial regulations.

Waste Disposal Code(s)

Waste Description for Spent Product

Spent or discarded material is not expected to be a hazardous waste.

Contaminated packaging:

Recycle containers whenever possible.

SECTION 14: Transport information

DOT Basic Not classified as hazardous for transport (DOT, TDG, IMO/IMDG, IATA/ICAO).

Description

SECTION 15: Regulatory information

Chemical Inventories

TSCA Status All components of this material are on the US TSCA Inventory or are exempt.

U.S. State Restrictions: Not applicable

WHMIS: D2B

Chemical NameRegulationCAS #%None.CERCLA

None.SARA 313None.SARA EHSNone.TSCA 12b

U.S. State Regulations

Chemical Name Regulation CAS# %

None. California Prop 65-

Cancer

None. California Prop 65- Dev.

Toxicity

None. California Prop 65-

Reprod -fem

None. California Prop 65-

Reprod-male

None. Massachusetts RTK List None. New Jersey RTK List

Ethanol, 2,2'-oxybisPennsylvania RTK List 111-46-

nia RTK List 111-46-6 10 - 30

Chemical Name CAS# % Regulation

Rhode Island RTK List None.

10 - 30 Diethylene glycol Minnesota Hazardous 111-46-6

Substance List

HMIS Ratings: NFPA Ratings:

Health: 3 Health: 3 Fire: 1 Fire: 1 Reactivity: 0 Reactivity: 0

В PPE:

KEY: 4 – Extreme 0 - Least 1 - Slight 2 - Moderate 3 - High

SECTION 16: Other information

Revision Date 10/29/2015 9:38:35 AM **Supersedes:** 10/29/2015 9:37:26 AM

References ACGIH: American Conference of Governmental Industrial Hygienists

AIHA: American Industrial Hygiene Association

CFR: Code of Federal Regulations

DOT: United States Department of Transportation

GHS: Globally Harmonized System of Classification and Labeling of Chemicals

HMIS: Hazardous Materials Identification System IARC: International Agency for Research on Cancer IATA: International Air Transportation Association IDLH: Immediately Dangerous to Life or Health IMDG: International Maritime Dangerous Goods NFPA: National Fire Protection Association

NIOSH: National Institute for Occupational Safety and Health

NTP: National Toxicology Program

OSHA: Occupational Safety and Health Administration

PEL: Permissible Exposure Limit

RTK: Right-to-Know

SARA: Superfund Amendments and Reauthorization Act

STEL: Short-term Exposure Limit TLV: Threshold limit value

TSCA: Toxic Substances Control Act

TWA: Time weighted average

UN: United Nations

WHMIS: Workplace Hazardous Materials Information System

Disclaimer THIS PRODUCT MATERIAL SAFETY DATA SHEET PROVIDES HEALTH AND SAFETY

INFORMATION. THE PRODUCT SHOULD BE USED IN APPLICATIONS CONSISTENT WITH

THIS PRODUCT LITERATURE. FOR ANY OTHER USES, EXPOSURES SHOULD BE EVALUATED SO THAT APPROPRIATE HANDLING PRACTICES AND TRAINING PROGRAMS CAN BE ESTABLISHED TO ENSURE SAFE WORKPLACE OPERATIONS.

THIS MATERIAL SAFETY DATA SHEET IS PROVIDED IN GOOD FAITH AND MEETS THE REQUIREMENTS OF THE HAZARDOUS COMMUNICATION PROVISIONS OF SARA TITLE III AND 29 CFR 1910.1200(g) OF THE OSHA REGULATIONS. THE ABOVE INFORMATION IS BASED ON REVIEW OF AVAILABLE INFORMATION SINCLAIR BELIEVES IS RELIABLE AND IS SUPPLIED FOR INFORMATIONAL PURPOSES ONLY. SINCLAIR DOES NOT GUARANTEE ITS COMPLETENESS OR ACCURACY.

SINCE CONDITIONS OF USE ARE OUTSIDE THE CONTROL OF SINCLAIR, SINCLAIR DISCLAIMS ALL WARRANTIES, EXPRESS OR IMPLIED, AND ANY LIABILITY FOR DAMAGE OR INJURY WHICH RESULTS FROM THE USE OF THE ABOVE DATA. NOTHING

HEREIN IS INTENDED TO PERMIT INFRINGEMENT OF VALID PATENTS AND LICENSES.