

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier	
Product Name:	SL Synthetic Blend 5w20 SN BU
Product Code:	SIPCM037 (SINCLAIR CODE: 833-001)

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended use:Motor OilRecommendedNot applicablerestrictions:Not applicable

•

1.3. Details of the supplier of the safety data sheet

Manufacturer:	Warren Distribution, Inc.	
	727 S. 13th Street	
	Omaha, NE 68102	
Information Phone:	+01 (800) 825-1235	+01 (402) 341-9397
E-mail:	sds@wd-wpp.com	

1.4. Emergency telephone numberEmergency phone number:CHEMTREC: +1 (800) 424-9300International: +01 (703) 527-3887

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture Not classified under GHS

2.2. Label elements

2.3. Other hazards	
Hazards not otherwise	Avoid prolonged or repeated contact with used motor oil. Used motor oil has been shown to cause
classified:	skin cancer in laboratory animals.

Unknown acute toxicity (GHS-US)

SECTION 3: Composition/information on ingredients				
Chemical Name	%	CAS #	GHS Classification	
Lubricating oils (petroleum), C20-50, hydrotreated	30 - 60	64742-54-7	Aquatic Acute 1; H400	
neutral oil-based Lubricating oils (petroleum), C20-50,	10 - 30	64742-65-0	Aquatic Chronic 1; H410	
hydrotreated neutral oil-based	7 - 13	72623-87-1	Aquatic Chronic 2; H411	
	0.5 - 1.5	68649-42-3	Acute Tox. 3; H331	
	0.1 - 1		Acute Tox. 4; H332	
	0.01 - 0.1		Acute Tox. 4; H302	
	0.001-0.01		Acute Tox. 3; H331	
			Eye Dam. 1; H318	
			Skin Irrit. 2; H315	
	1 C 1: 00 CT	D 1010 1000 (II		

Components not listed are not physical or health hazards as defined in 29 CFR 1910.1200 (Hazard Communication Standard).

SECTION 4: First aid measures

4.1. Description of first aid measures

Inhalation Eyes Remove to fresh air. If breathing is difficult, have a trained individual administer oxygen. Use eye wash to remove a chemical from the eye. Flush the affected eye for at least fifteen minutes. Tilt the head to prevent chemical from transferring to the uncontaminated eye. Seek medical

SECTION 4: First aid measures

	attention if irritation persists.
Skin Contact	Wash with soap and water. Get medical attention if irritation develops or persists. Seek medical
	advice if symptoms persist.
Ingestion	Minimal risk of harm if swallowed. Do not induce vomiting. Seek medical attention immediately.
	Provide medical care provider with this SDS.
4.2. Most important symptoms	and effects, both acute and delayed
Symptoms	Not determined
4.3. Indication of any immediat	e medical attention and special treatment needed
Note to Doctor	Aspiration during swallowing or vomiting may severely damage the lungs. If evacuation of stomach contents is necessary, use method least likely to cause aspiration.

SECTION 5: Firefighting measures

5.1. Extinguishing media	
Suitable and Unsuitable	Use alcohol resistant foam, carbon dioxide, or dry chemical when fighting fires. Water or foam may
Extinguishing Media:	cause frothing if liquid is burning but it still may be a useful extinguishing agent if carefully applied
	to the surface of the fire. Do not direct a stream of water into the hot burning liquid.
5.2. Special hazards arising from	om the substance or mixture
Fire and/or Explosion	Material may be ignited only if preheated to temperatures above the high flash point, for example in
Hazards	a fire.
5.3. Advice for firefighters	
Fire Fighting Methods and	Do not enter fire area without proper protection including self- contained breathing apparatus and
Protection	full protective equipment. Use methods for the surrounding fire.
Hazardous Combustion	Carbon monoxide, Smoke
Products	

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General Measures: No health affects expected from the clean up of this material if contact can be avoided. Follow personal protective equipment recommendations found in Section 8 of this SDS.

6.2. Environmental precautions

Do not flush to sewer.

Avoid runoff into storm sewers and ditches that lead to waterways.

Remove from water surface by skimming or with suitable absorbents. Do not use dispersants.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up: Prevent the spread of any spill to minimize harm to human health and the environment if safe to do so. Wear complete and proper personal protective equipment following the recommendation of Section 8 at a minimum. Dike with suitable absorbent material like granulated clay. Dispose of according to Federal, State, Local, or Provincial regulations. Used fluid should be disposed of at a recycling center.

6.4. Reference to other sections

Follow all protective equipment recommendations provided in Section 8.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Mildly irritating material. Avoid unnecessary exposure.

7.2. Conditions for safe storage, including any incompatibilities

Store in a cool dry place. Isolate from incompatible materials.

Incompatible materials See Section 10.

7.3. Specific end use(s) Motor Oil

SECTION 8: Exposure controls/personal protection

8.1. Control parameters
Chemical Name

Occupational Exposure Limits

Value

SECTION 8: Exposure controls/personal protection

8.1. Control parameters	•	*	
Chemical Name		Occupational Exposure Limits	Value
		OSHA PEL	5 mg/m3
Oil mist, mineral		OSHA PEL	5 mg/m3
Lubricating oils (petroleum), C2	20-50,	OSHA PEL	5 mg/m3
hydrotreated neutral oil-based			
Oil mist, mineral		ACGIH TLV-TWA	5 mg/m3
Oil mist, mineral		ACGIH TLV-TWA	5 mg/m3
Lubricating oils (petroleum), C2	20-50,	ACGIH TLV-TWA	5 mg/m3
hydrotreated neutral oil-based			
Oil mist, mineral		ACGIH STEL	10 mg/m3
Oil mist, mineral		ACGIH STEL	10 mg/m3
Lubricating oils (petroleum), C2	20-50,	ACGIH STEL	10 mg/m3
hydrotreated neutral oil-based			
None.		IDLH	
None.		OSHA PEL-Skin Notation	
8.2. Exposure controls	TT 1 1		
Engineering Measures	Use local exhaust ventilation or other engineering controls to minimize exposures and maintain		
Describer description Descriptions	operator comfort.		
Respiratory Protection	Respiratory protection may be required to avoid overexposure when handling this product. General		
	or local exhaust ventilation is the preferred means of protection. Use a respirator if general room		
	ventilation is not available or sufficient to eliminate symptoms.		
Respirator Type(s)	None required where adequate ventilation is provided. If airborne concentrations are above the		
Eus Dustastion	applicable exposure limits, use NIOSH/MSHA approved respiratory protection.		
Eye Protection	No special requirements under normal industrial use.		
Skin Protection	Where use can result in skin contact, practice good personal hygiene and wear impervious gloves.		
	Wash hands and other exposed areas with mild soap and water before eating, drinking, and when		
Claves	leaving work.		
Gloves	Neoprene, Nitrile, Polyvinyl chloride, Impervious rubber		

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties		
Physical State	Liquid	
Color	Brown	
Odor	Mild	
Odor threshold	Not determined	
рН	Not determined	
Freezing point	-20	
Boiling Point	Not determined	
Flash Point (°C)	206	
Flash Point Method	COC	
Evaporation Rate	Not determined	
Upper Flammable/Explosive	= 10	
Limit, % in air		
Lower Flammable/Explosive	= 1	
Limit, % in air		
Flammability (solid, gas)	Not applicable	
Vapor pressure	<0.20	
Vapor Density	Not determined	
Relative Density	0.86	
Solubility in Water	Negligible; 0-1%	
Octanol/Water Partition	Not determined	
Coefficient		

SECTION 9: Physical and chemical properties			
9.1. Information on basic phys	• •		
Autoignition Temperature	Not determined		
Decomposition Temperature	Not determined		
Viscosity(°C)	51.33		
9.2. Other information			
Volatiles, % by weight	0.000000		
· · ·			
SECTION 10: Stability and reactivity			
10.1. Reactivity	No data available.		
10.2. Chemical stability	Stable under normal conditions.		
10.3. Possibility of hazardous	Hazardous polymerization will not occur.		
reactions			
10.4. Conditions to avoid	Temperatures above the high flash point of this combustible material in combination with sparks,		
	open flames, or other sources of ignition. Moisture (will lead to product performance degradation).		
10.5. Incompatible materials	Strong oxidizing agents		
10.6. Hazardous	Carbon monoxide, Smoke, Carbon monoxide, sulfur oxides, aldehydes, and other petroleum		
decomposition products	decomposition products in the case of incomplete combustion. Oxides of nitrogen, phosphorus,		
	calcium, copper, magnesium, sodium, and hydrogen sulfide may also be present.		

SECTION 11: Toxicological information

11.1. Information on toxicological effects		
Ingestion Toxicity	No hazard in normal industrial use. Estimated to be > 5.0 g/kg.	
Skin Contact	This material is likely to be slightly irritating to skin based on animal data. Can cause minor skin	
	irritation, defatting, and dermatitis.	
Absorption	Likely to be practically non-toxic based on animal data.	
Inhalation Toxicity	No hazard in normal industrial use. Likely to be practically non-toxic based on animal data.	
Eye Contact	This material is estimated to be non-irritating eyes (Draize score <15 [rabbits]). No hazard in normal industrial use.	
Sensitization	Non-hazardous under Respiratory Sensitization category.No data available to indicate product or components may be a skin sensitizer.	
Mutagenicity	No data available to indicate product or any components present at greater than 0.1% is mutagenic or genotoxic.	
Carcinogenicity	Not expected to cause cancer. This product meets the IP-346 criteria of $<3\%$ PAH's and is not considered a carcinogen by the International Agency for Research on Cancer.	
Reproductive and	No data available to indicate product or any components present at greater than 0.1% may cause	
Developmental Toxicity	birth defects.	
Specific target organ	Non-hazardous under Specific Target Organ Systemic Toxicity Single Exposure category.	
toxicity-Single exposure		
Specific target organ	Non-hazardous under Specific Target Organ Systemic Toxicity Repeated Exposure category.	
toxicity-Repeated exposure		
Aspiration toxicity	Non-hazardous under Aspiration category.	
Other information	No data available.	

Agents Classified by IARC Monographs

Not applicable	IARC Group 1
Not applicable	IARC Group 2A
Not applicable	IARC Group 2B

National Toxicity Program (NTP) Status

Not applicable	Known Human Carcinogen
Not applicable	Reasonably Anticipated To Be A Human Carcinogen

SECTION 12: Ecological information

12.1. Toxicity
Acute Aquatic ecotoxicity: Non-hazardous under Aquatic Acute Environment category.
Chronic Aquatic ecotoxicity: Non-hazardous under Aquatic Chronic Environment category.
12.2. Persistence and degradability
Biodegrades slowly.
12.3. Bioaccumulative potential
Bioconcentration may occur.
12.4. Mobility in soil
This material is expected to have essentially no mobility in soil. It absorbs strongly to most soil types.
12.5. Results of PBT and vPvB assessment
No data available.
12.6. Other adverse effects
Not determined

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal Methods Dispose of according to Federal, State, Local, or Provincial regulations. Recycle used oil.

Waste Disposal Code(s)

Waste Description for Spent Product Spent or discarded material is non-hazardous according to environmental regulations.

Contaminated packaging:

Recycle containers whenever possible.

Recycle containers whenever possible.

Recycle containers whenever possible.

SECTION 14: Transport information

DOT Basic Not classified as hazardous for transport (DOT, TDG, IMO/IMDG, IATA/ICAO). **Description**

SECTION 15: Regulatory information

Sherion 15. Regula	ory mormation				
Chemical Inventories					
U.S. State Restrictions:	Not applicable				
WHMIS:	Uncontrolled product according to WHMIS classification criteria.				
	I B				
Chemical Name	Regulation	CAS #	%		
None.	CERCLA				
None.	SARA 313				
None.	SARA EHS				
None.	TSCA 12b				
U.S. State Regulations					
Chemical Name	Regulation	CAS #	%		
None.	California Prop 65-				
	Cancer				
None.	California Prop 65- Dev.				
	Toxicity				
None.	California Prop 65-				
	Reprod -fem				
None.	California Prop 65-				
	Reprod-male				
None.	Massachusetts RTK List				
None.	New Jersey RTK List				
None.	Pennsylvania RTK List				
TONO.	i emisyivama KTK Elst				

Chemical Name None. None.	Rhoo Mini	alation le Island RTK List nesota Hazardous tance List	CAS #		%	
	HMIS Rati	ngs:	NFPA Ratings	:		
	Health:	1	Health:	1		
	Fire:	1	Fire:	1		
	Reactivity:	0	Reactivity:	0		
	PPE:	В				
KEY	0 - Least	1 - Slight	2 - Moderate	3 - High	4 – Extreme	
SECTION 16: O	ther information					

SECTION 16: Other				
Revision Date	10/21/2015 11:59:20 AM			
Supersedes:	None			
References	ACGIH: American Conference of Governmental Industrial Hygienists			
	AIHA: American Industrial Hygiene Association			
	CFR: Code of Federal Regulations			
	DOT: United States Department of Transportation			
	GHS: Globally Harmonized System of Classification and Labeling of Chemicals			
	HMIS: Hazardous Materials Identification System			
	IARC: International Agency for Research on Cancer			
	IATA: International Air Transportation Association			
	IDLH: Immediately Dangerous to Life or Health			
	IMDG: International Maritime Dangerous Goods			
	NFPA: National Fire Protection Association			
	NIOSH: National Institute for Occupational Safety and Health			
	NTP: National Toxicology Program			
	OSHA: Occupational Safety and Health Administration			
	PEL: Permissible Exposure Limit			
	RTK: Right-to-Know			
	SARA: Superfund Amendments and Reauthorization Act			
	STEL: Short-term Exposure Limit			
	TLV: Threshold limit value			
	TSCA: Toxic Substances Control Act			
	TWA: Time weighted average			
	UN: United Nations			
	WHMIS: Workplace Hazardous Materials Information System			
Disclaimer	THIS PRODUCT MATERIAL SAFETY DATA SHEET PROVIDES HEALTH AND SAFETY			
	INFORMATION. THE PRODUCT SHOULD BE USED IN APPLICATIONS CONSISTENT WITH			
	THIS PRODUCT LITERATURE. FOR ANY OTHER USES, EXPOSURES SHOULD BE			
	EVALUATED SO THAT APPROPRIATE HANDLING PRACTICES AND TRAINING			
	PROGRAMS CAN BE ESTABLISHED TO ENSURE SAFE WORKPLACE OPERATIONS.			
	THIS MATERIAL SAFETY DATA SHEET IS PROVIDED IN GOOD FAITH AND MEETS THE			
	REQUIREMENTS OF THE HAZARDOUS COMMUNICATION PROVISIONS OF SARA TITLE			
	III AND 29 CFR 1910.1200(g) OF THE OSHA REGULATIONS. THE ABOVE INFORMATION IS			
	BASED ON REVIEW OF AVAILABLE INFORMATION SINCLAIR BELIEVES IS RELIABLE			
	AND IS SUPPLIED FOR INFORMATIONAL PURPOSES ONLY. SINCLAIR DOES NOT			
	GUARANTEE ITS COMPLETENESS OR ACCURACY.			
	SINCE CONDITIONS OF USE ARE OUTSIDE THE CONTROL OF SINCLAIR, SINCLAIR			
	DISCLAIMS ALL WARRANTIES, EXPRESS OR IMPLIED, AND ANY LIABILITY FOR			
	DAMAGE OR INJURY WHICH RESULTS FROM THE USE OF THE ABOVE DATA. NOTHING			
	HEREIN IS INTENDED TO PERMIT INFRINGEMENT OF VALID PATENTS AND LICENSES.			